HENRY SCHEIN®
MEDICAL

Rely on Us

Look for These Specials Inside!

InSure® FIT™ Fecal Immunochemical Tests (FIT)
(450-0009)
See page 33

Midmark IQvitals™
(115-7159)
See page 6

"NOW AVAILABLE"
Atorvastatin Calcium Tablets
Compare to Lipitor®
(118-1708)
See page 8

WETTASK® Wipe System
(643-0139)
See page 44

80 Since 1932

Join Our Community
Join Us on Facebook | Follow Us on Twitter
View Us on YouTube
facebook twitter YouTube

To Order: 1-800-P-SCHEIN (1-800-772-4346) 8am–9pm (et)
To Fax: 1-800-329-9109 24 Hours
www.henryschein.com/medical

IN THIS ISSUE

{ Cardiovascular disease, including heart disease and stroke account for more than one-third (33.6%) of all U.S. deaths. }

Heart Health Solutions – Prevent/Diagnose/Manage

Physicians are aware of the factors that contribute to cardiac wellnes. Effective monitoring and diagnosis enables better disease management and also paves the way to methods of intervention and treatment that are preventive, often adding to a patient's quality of life.

We support your efforts in working toward maintaining good health in your patients by providing you with the products and services that enhance your clinical capabilities, and reinforce your role as a dedicated caregiver.

We offer a wide variety of diagnostics and pharmaceuticals for cholesterol, hypertension, diabetes management, colorectal screening tests as well as small equipment to make in-office testing easier and faster. You will also find a complete array of accessories from gloves to paper products, all value priced to help you stay within budget while keeping your patients on the pathway to better health.

Henry Schein Brand Products

Look for the Henry Schein Brand products throughout this flyer. You can rely on the Henry Schein Brand name for high quality products that provide extra value at reasonable prices. From exam room supplies, gloves, and rapid diagnostics to diagnostic equipment, you'll find diverse product options that help you achieve greater patient satisfaction, enhanced productivity and increased revenue for your practice. Additionally, our product line has met our high standards to earn the Henry Schein Seal of Excellence – **your guarantee of satisfaction**.

Editorial Extras

Take note of our special *MedicalTips* throughout this flyer. These *MedicalTips* provide information and insight into industry trends taking place within the ever changing health care profession. Also look for our *Ask The Expert* article featuring current topics of interest.

Celebrating 80 Years of Excellence
Henry Schein is proud of its history. From a New York pharmacy to a Fortune 300 company—we are dedicated to serving our customers, supplier partners, investors, society and Team Schein.

Henry Schein Medical is your reliable network of trusted advisors.

Rely on Us for…

Expert Guidance

Our knowledgeable team of trusted advisors is dedicated to collaborating with you to meet specific goals related to quality patient care; staff and team growth; and profitability.

- *Revenue Enhancement Tools*
- *Cost Containment Programs*
- *Staff Training and Team Building*
- *Practice Marketing*
- *Technology Solutions*

Price Integrity

We have relationships at the local, regional, and national level-including all major GPOs–to help manage operating costs and drive value for your practice. Web-enabled reporting tools guarantee your pricing is accurate and consistent.

Guaranteed Fast Delivery

All orders received by 5 PM local time are shipped the same day. Your products arrive within 24–48 hours.

Vaccines, Pharmaceuticals, and Diagnostics

We supply every adult and pediatric vaccine recommended by the ACIP, advancing prevention and wellness in your patient community. We meet all of your flu vaccination needs with our Worry-Free Guarantee Influenza Program.

Our pharmaceutical and diagnostic solutions include brand names as well as a complete line of generics and Henry Schein Brand options for added value.

HENRY SCHEIN® MEDICAL

Rely on Us

Highlights

Henry Schein Private Brand Products
See blue highlighted products throughout this flyer.

Diagnostics
24–35

Equipment
4–7, 40–42

Pharmaceuticals
8, 15–21

Infection Control
43, 45–47

Vaccines
10–12

Helping Health Happen

For eight decades, caring has been a hallmark of Henry Schein. Through Henry Schein Cares, we are expanding access to care for underserved and at-risk populations around the world.

Please visit our Web site to make a donation or learn about our programs.

www.hscaresfoundation.org

HSC Henry Schein Cares
Helping Health Happen

CARDIAC science

Powerheart® AED G3 Automatic

Fully automatic AED that does not require the operator to push a shock button. RescueReady dependability with comprehensive daily, weekly, and monthly self-tests, including confirmation of battery, electrical circuitry, and software (weekly and monthly self-tests include partial- and full-energy charge of electronics, respectively). STAR® biphasic Waveform and RHYTHMx™ technology deliver customized, variable escalating energy protocol for maximum effectiveness, including synchronized shock. Noncommitted shock feature prevents the AED from delivering a shock if a patient's heart rhythm returns to normal while AED is charging in preparation for a shock.

#9300A-501PPC, With Monitor Package, AHA/ERC 2005 Guidelines Compliant
(110-2293) .....ea

Contains: 1–9146 battery, 2 pairs of adult defibrillation pads, 1 carrying case, 1 ready kit, 1 Quick Start tool kit CD (includes Quick Start guide, 1 operator & service manual, 1 training video, RescueLink & MDLink) & 1 serial-data-download cable.

Powerheart® Adult Defibrillation Pads
(718-7703) .....ea

CARDIAC science

BURDICK

Heartline® Electrodes by Cardiac Science™

- Provide high-quality data for virtually any cardiac application
- Ideal for both long-term monitoring and short-term diagnostic procedures

#007781, Oblong, DuraFoam, Wet Gel, 37 mm x 53 mm
(120-2998) 30/pouch

#007778, Oblong, Comfort Tape, Wet Gel, 37 mm x 53 mm
(120-2333) 30/pouch

#007784, SensaCloth, Pediatric, Solid Gel, 30 mm
(120-8783) 30/pouch

CARDIAC science

BURDICK

Burdick® Vision™ 5L Holter Recorder by Cardiac Science™

High-Quality ECG Digital Recording

- Visual signed verification
- Real-time ECG display eliminates test jacks, repeat tests
- Easy-to-use five-button keypad
- Pacemaker detection to Vision or Vision Premier software analysis systems

#92514-01, Digital Holter Recorder Kit
(606-3318) .....ea

MEDICAL TIP

Medicare Beneficiaries and Cardiovascular Disease

Beginning January 1, 2011, the Affordable Care Acts provide first-dollar coverage for preventive services and coverage for a new annual, individually tailored wellness exam.

Source: ***American Heart Association: www.heart.org***

Introducing the Quinton® 9500 Cardiac Stress System.

- Revolutionary wall mount design removes the footprint
- Wireless ECG acquisition for safety, comfort, and confidence
- One-button navigation is made even easier with an optional touch screen
- Advanced connectivity streamlines work, with or without an EMR

Contact your Henry Schein consultant today.

Cardiac Science, the Shielded Heart logo, and Quinton are trademarks of Cardiac Science Corporation.
Copyright © 2010 Cardiac Science Corporation. All Rights Reserved. MKT-04212-01rA

CARDIAC science



Cardiac Science™ CareCenter MD™

PC-based wireless diagnostic workstation

+ Wireless data acquisition for ECG and cardiac stress testing
+ One-button user navigation – simple user interface for all modalities
+ Advanced networking and connectivity – in your office, across the country, to your EMR
+ Shared database provides fast access to all patient files

Contact your Henry Schein consultant today.

Cardiac Science, the Shielded Heart logo, and CareCenterMD are trademarks of Cardiac Science Corporation. Copyright © 2010 Cardiac Science Corporation. All Rights Reserved. MKT-04143-01 rA

CARDIAC science™

CARDIAC science

BURDICK

Assurance 50® "Fade-Resistant" Papers

Single Channel, Red Grid

Unique line of thermal recording media. Look and feel is similar to standard thermal charts, but difference is in acid-free base paper and patented chemical thermal coatings. Combination of these 2 elements works to deliver 50 years of ECG image life without worry or fading. Thermal chart contaminants such as UV light, PVC, alcohol, adhesive tape, and electrode creams are no longer of concern. No special care or handling is required. Guarantee clear, indelible original records, year after year.

#716-0233-00, 45 mm x 150' Roll
For Burdick EK-10, Elite, Elite II, and Medic 5
(120-3261).....ea

#716-0234-00
For E3501, E600 8, Eclipse LE LEi, LE II, and LEi II
(120-1579).....200 sheets/pkg

#716-0239-00
For Burdick Eclipse 850 and 850i
(120-0410).....300 sheets/pad

#716-0237-00
For Atria, Burdick Eclipse Plus, and Quest
(891-2720).....200 sheets/pad

#716-0235-00
For Burdick Eclipse 8 and 800
(120-1651).....300 sheets/pkg

CARDIAC science

BURDICK

Blue Max™ Electrodes by Cardiac Science™

For Monitoring and Resting ECGs

- Highly conductive wet gel for clean tracings
- Minimal baseline wandering
- Unique offset snap connection reduces motion artifact during stress testing
- Specially formulated adhesive stays in place

#097001, Vinyl, Offset Snap, 40mm
(120-4000).....25/bag

Foam, 30mm
(120-9305).....10/pkg

#097002, Foam, Offset Snap, 50mm
(130-9743).....25/bag

#015-0630-00, SUPAtab, Wet Gel
(362-3376).....100/bag

CARDIAC science

BURDICK

CardioSens™ Resting Tab Electrodes by Cardiac Science™

- Premium tin construction provides excellent signal quality
- Latex-free
- A favorite among clinicians

CardioSens™ Ultra II Premium
Offers aggressive adhesion, fast signal stabilization, and high conductivity.
(120-1455).....100/box

CardioSens™ K
Offers a hypoallergenic, karaya-gum-based adhesive for sensitive skin.
(120-2188).....100/box

CardioSens™ Advantage
Features a unique, highly conductive narrow adhesive.
(120-2289).....100/box

MEDICAL TIP

The percentage of U.S. adults with heart disease risk factors based on: Inactivity (39.5%); Obesity (33.9%); High blood pressure (30.5%); Cigarette smoking (20.8%); High cholesterol (15.6%); and Diabetes (10.1%). Overall 37% of adults reported having two or more risk factors.

Source: ***www.CDC.org***



Connectivity Solutions that Work

IQvitals™ improves efficiency and reduces transcription errors with automated capture of blood pressure, temperature, SpO_2 and pulse rate.

IQvitals™

- Lightweight and portable
- Simply plug and play connectivity
- Intuitive user interface
- Easily enter all vitals data
- Long battery life

For more information, contact your Henry Schein Representative, call 1-800-MIDMARK or visit midmark.com. To learn more about the efficient exam room, visit **midmarkclinicalsolutions.com.**

Midmark Corporation Versailles, OH USA

MIDMARK®
Because we care.

Midmark IQvitals™ PC

This affordable, connected vital signs device is designed specifically for the digital practice. It electronically captures blood pressure, temperature, SpO_2, pulse rate, and weight. The easy-to-use, one-click operation simplifies staff training and improves workflow productivity, while a seamless connection to Midmark's IQmanager™ software or select EHR/EMRs offers digital access to all patient vital sign information.

#4-000-0400, IQvitals™ PC with Blood Pressure and Alaris® Turbo Temp® Thermometer
(115-7157).....ea

#4-000-0410, IQvitals™ PC with Blood Pressure, Alaris® Turbo Temp® Thermometer and SpO_2
(115-7164).....ea

#3-009-0021, Small Reusable SpO_2 Finger Sensor
(115-8778) .....ea

#3-004-2000, IQvitals™ Mobile Cart
(115-7758) .....ea

Midmark IQvitals™

This affordable, Windows®-based, touchscreen device provides automated blood pressure, temperature, SpO_2 and pulse rate readings with a touch of the screen. An alphanumeric keyboard allows for fast and easy entry of patient data, and the intuitive design increases productivity and simplifies staff training. IQvitals™ can be used as a stand-alone unit, connect to a computer with IQmanager™ software, or will connect seamlessly to select EHR/EMRs.

#4-000-0500, IQvitals™ with Blood Pressure and Alaris® Turbo Temp® Thermometer
(115-7159).....ea

#4-000-0510, IQvitals™ with Blood Pressure, Alaris® Turbo Temp® Thermometer and SpO_2
(115-6751) .....ea

#1-100-1605, IQvitals™ Thermal Printer
(115-8229) .....ea

#1-100-1603, Fairbanks® TeleWeigh™ Digital Scale
(115-8149).....ea

#3-004-2000, IQvitals™ Mobile Cart
(115-7758) .....ea

MEDICAL TIP

Early Action is Key for Screening of Heart Disease

About 47% of sudden cardiac deaths occur outside a hospital. This suggests that many people with heart disease don't act on early warning signs.

Source: ***www.cdc.org***

Early Action and Diagnosis is Key: Women's Heart Health

Almost two-thirds of the women who die suddenly of coronary heart disease have no previous symptoms.

Source: ***www.cdc.org***

MIDMARK

IQholter™ Recorder

Midmark IQholter™ Recorder is small and lightweight, only 2.8 oz. Well-lit display and intuitive keypad make clinician navigation and menu control easy. On-screen leads and channel identification for speed and simplicity during patient hookup. Automatic startup self-test with warning alarm ensures reliable recording. 5-lead hookup for 3-channel recording; 7-lead option available. 24-hour standard recording (48- and 72-hour recording capabilities available). Removable Secure Digital (SD) card allows for immediate patient turnaround.

IQholter™

IQholter™ offers color-coded arrhythmia events to identify different ECG morphologies, and comprehensive reports with auto narrative summary to effectively reveal important test data and statistics. Ability to edit and review test results and full disclosure locally or on the network without printing.

IQholter™ EX

IQholter™ EX provides the ability to preview and adjust criteria settings to match patient's recording before the analysis and identifies atrial fibrillation (AF) events based on parameters set by the clinician. Smart Page Scan highlights specified events and reveals entire episodes at a glance. Arrhythmia Templates with Intelligent Sorting facilitate quick reviews and edits with QT and QTc analysis for identifying prolonged intervals.

IQholter™ EP

IQholter™ EP offers all the standard features of IQholter™ and IQholter™ EX with pacemaker detection to identify single and dual-chamber paced beats for noncaptures and sensing failures. Automatic pacemaker detection eliminates setting changes between patients.

#4-000-0110, IQholter™ Digital Holter with Recorder
(112-4699) .....ea

#4-000-0113, IQholter™ EX Digital Holter with Recorder
(112-4700) .....ea

#4-000-0116, IQholter™ EP Digital Holter with Recorder
(112-4701).....ea

#4-000-0119, IQholter™ Digital Holter Recorder (5-lead standard)
(112-4702) .....ea

#4-100-1200, IQmanager™ Software–Patient data management of IQecg™, IQspiro™, IQholter™, IQstress™, IQvitals™, and IQvitals™ PC
(112-4703) .....ea

#1-370-0010, IQholter™ Secure Digital Memory Card
(386-1747) .....ea

#1-370-0020, IQholter™ Upgrade Kit (24, 48, 72 Hours)
(115-6151).....ea

2-100-0080 IQholter™ Prep Kit, 5-lead
(386-2155) .....ea

MIDMARK

IQspiro™ Digital Spirometry System

Combines a digital spirometer with innovative software solutions that make it fast and easy to capture, interpret, and retrieve patient information. This digital spirometer also features correct patient positioning that can optimize testing and an eject lever that saves time and alleviates handling of used mouthpieces.

- View real-time Flow/Volume Loop and Volume/Time graphs with fully customizable parameters
- Pre- and post-bronchodilator testing with automatic interpretation
- Eject lever alleviates handling of used mouthpiece
- Accurate and precise; meets or exceeds ATS 2005 Standards
- Lightweight, portable design weighs only 9 oz
- Correct, ergonomic patient testing orientation
- Easy-grasp, T-shaped-handle design for patient support and stability during testing
- Improved mouthpiece stability and protection with easy-latch door design
- Easy-to-print, full-page reports on standard paper

USB with Calibration Syringe
(386-1656) .....ea

USB
(386-1658) .....ea

Serial with Calibration Syringe
(386-1659) .....ea

Serial
(386-1660) .....ea

Mouthpieces
(112-4697).....25/box
(386-1750).....100/case
(113-0611) 500/case

#4-100-1200, IQmanager™ Software–Patient data management of IQecg™, IQspiro™, IQholter™, IQstress™, IQvitals™, and IQvitals™ PC
(112-4703) .....ea

MIDMARK

Digital IQecg™

Makes your job easier with a range of reviewing and editing tools to help increase productivity and efficiency. At the touch of a button, you can capture an abnormal ECG as it appears on screen, enhance the diagnosis with tools like zoom and electronic calipers, quickly edit statements, and perform serial comparison.

Features include:

- Lightweight, portable design, weighing less than 11 oz
- View and monitor live, 12-lead ECG in selectable formats on screen
- Interpret and analyze data for neonate, pediatric, and adult patients via the Midmark 12-lead Resting Electrocardiogram Analysis Program
- Review and edit ECG results on screen with free text or customizable quick-edit statements
- Perform serial comparison with overlay of up to 4 ECG tests
- Save time and reduce data-entry errors by populating patient information directly from your EHR/EMR software
- Facilitate paperless office strategy: eliminate costs of thermal paper and the hassles of scanning and filing patient charts

USB Version
(112-4498) .....ea

Serial Version
(386-1644) .....ea

IQ ECG Patient Cable
(386-1646) .....ea

IQ Cart
(115-4451) .....ea

IQ Cart
(386-1648) .....ea

IQ ECG Arm for IQ Cart
(386-1649) .....ea

MEDICAL TIP

Diabetes and Cardiovascular Risk

73% of adults with diabetes have blood pressure greater than or equal to 130/80 mmHg. The risk of stroke is two to four times higher among diabetics than non-diabetics.

Source: ***American Heart Association www.heart.org***

Heart Health Pharmaceuticals

Lipitor® Tablets
atorvastatin calcium
10 mg
(321-2417).....90/btl
20 mg
(321-3168).....90/btl
40 mg
(321-6165).....90/btl
80 mg
(248-0686).....90/btl

Compare to Lipitor®* and SAVE 32%

*Lipitor® is a registered trademark of Pfizer, Inc.

Atorvastatin Calcium Tablets
Compare to Lipitor®
10 mg
(118-1708).....90/btl
20 mg
(118-1709).....90/btl
40 mg
(118-1710).....90/btl
80 mg
(118-1711).....90/btl

Adenoscan IV Injectable
3 mg/mL, 20-mL SDV
(323-0000).....ea

Adenoscan Injectable
3 mg/mL, 30 mL
(323-0001).....ea

Crestor® Tablets
(Rosuvastatin Calcium)
Helps to lower LDL cholesterol produced by the liver and raises HDL cholesterol. Along with diet, it can also slow the progression of atherosclerosis, the progressive buildup of plaque in the arteries.
10 mg
(845-0795).....90/Bt

Digoxin Injectable Ampule
500 mcg/mL, 2 mL SDV
(375-1035) 25/box

Dipyridamole Injectable
Compare to Persantine®
5 mg/mL, 10-mL SDV
(108-8193).....5/box

Furosemide Injectable
Compare to Lasix®
10 mg/mL, 2-mL SDV
(113-5927).....25/box

Hydrochlorothiazide Tablets
50 mg
(104-9384).....100/btl
25 mg
(104-9381).....100/btl

Hydralazine HCl Injectable
20 mg/mL, 1-mL SDV
(881-1045) 25/Bx

Lexiscan® Injectable
Regadenoson
Pharmacologic stress agent indicated for radionuclide myocardial perfusion imaging (MP) in patients unable to undergo adequate exercise stress. For single use.
0.4 mg/5 mL, 5-mL Prefilled Syringe
(323-0002).....ea

Lopressor Inj Ampule
5 mg/5 mL
(333-7269) 10/box

APP
Metoprolol Tartrate Injectable
5-mL SDV, 1 mg/mL
(116-9374) 10/box

Nifedipine Caps
10 mg
(114-6587).....100/btl

Nitrolingual® Spray
0.4 mg, 4.9 g
60 Doses
(299-0045).....ea
0.4 g, 12 g
200 Doses
(299-0047).....ea

Nitroglycerin Lingual Spray, 4.9 gm/btl
Compare to Nitrolingual®
4.9 g/btl, 60 dose/btl
(116-5208) .....ea
12 g/btl, 200 dose/btl
(116-5209) .....ea

Nitrostat® Tablets
0.3 mg
(321-2120).....100/btl
0.4 mg
(321-3802).....100/btl

Toprol-XL® Tablets
50 mg
(150-5419).....100/btl

BD is a trademark of Becton, Dickinson and Company, Franklin Lakes, New Jersey. Kendall is a subsidiary of Covidien. Terumo Insulin Syringes are manufactured by Terumo Medical Corporation, Somerset, NJ. T-SHARP is a trademark of Terumo Medical Corporation, Somerset, NJ. and Terumo are registered trademarks of Terumo Corporation, Tokyo, Japan. ©2011Terumo Medical Corporation 12/11. All rights reserved.
Accession# 20091021-828

A new study* conducted by an independent testing laboratory has confirmed that Terumo 30 and 31 gauge insulin syringes are sharper than the market leaders. In fact, Terumo insulin syringes were found to be, on average, 14% sharper than all other leading brands.

Sharper needles provide patients with a more comfortable injection, thereby providing both patient and clinician with a more satisfying injection experience.

For a copy of the study comparing hypodermic needle sharpness, contact your Henry Schein sales representative.

315-9974	Needle Disposable	30gx1/2"	100/Bx	**$14.99**
315-1671	SurGuard2 Safety Needle	30gx1/2"	100/Bx	**$25.69**

T-SHARP™ TECHNOLOGY

T-SHARP™ Technology is Terumo's proprietary manufacturing process that produces needles of superior sharpness.

*Needle Sharpness Study for Terumo Medical Corporation, by Independent Testing Laboratory, on Insulin, Allergy and Conventional Needles (22-27G); 2008.

TERUMO®

TERUMO MEDICAL PRODUCTS

Are You Keeping Your Staff and Patients Protected?

HealthLink® A Family of Medical Products

The CDC recommends washing hands with an anti-microbial soap or an alcohol based hand sanitizer.*

WATER

AloeGuard®

(833-8374)	18 oz. Pump	(each)
(306-9953)	800ml bag-in-box	(bag)
(300-6331)	Gallon Refill	(each)

GBG AloeGel®

(923-8209)	18 oz Pump	(each)
(300-4126)	800ml bag-in-box	(bag)

GBG FOAMING™

(437-0002)	7oz Can	(can)

NO WATER

To order call Henry Schein: 800-772-4346

HENRY SCHEIN® MEDICAL

*www.cdc.gov

INTRODUCING HENRY SCHEIN'S 2012 WORRY-FREE GUARANTEE FLU VACCINE PROGRAM!

Prevent Pneumonia.

Pneumonia kills more people in the U.S. each year than all other vaccine-preventable diseases combined. Source: www.cdc.gov

NDC 0006-4739-00
5 Dose Vial
PNEUMOCOCCAL VACCINE POLYVALENT PNEUMOVAX® 23
Each 0.5 mL dose contains 25 mcg of polysaccharide from each capsular type of pneumococcus in PNEUMOVAX 23.
FOR SYRINGE USE ONLY
Contains phenol 0.25% added as preservative.
Manuf. and Dist. by:
MERCK & CO., INC.
Whitehouse Station, NJ 08889, USA
PNEUMOCOCCAL VACCINE POLYVALENT PNEUMOVAX® 23

MERCK

Pneumovax® 23

Pneumococcal Vaccines (Polyvalent)

2.5-mL, 5-Dose Vial

(558-1814).....ea

0.5-mL SDV

(558-4195).....10/pkg

CPT® Code: 90732

Item stored under refrigeration. May be shipped separately.

All vaccines include Federal Excise Tax (FET).

Pneumovax® 23 is a registered trademark of Merck & Co.,Inc.

MERCK

M-M-R® II
Measles, Mumps, and Rubella Vaccine

0.5-mL SDV with Diluent
(558-0110) 10/pkg
CPT® Code: 90707†
Items stored under refrigeration.
May be shipped separately.
All vaccines include Federal Excise Tax (FET).
M-M-R® II is a registered trademark of Merck & Co., Inc.

MERCK

PedvaxHIB®
Haemophilus b Conjugate (Meningococcal Protein Conjugate) Liquid Vaccine

0.5-mL SDV
(558-3778) 10/pkg
CPT® Code: 90647†
Items stored under refrigeration. May be shipped separately.
All vaccines include Federal Excise Tax [FET].
PedvaxHIB® is a registered trademark of Merck & Co., Inc.

RECOMBIVAX HB®–Adult
Hepatitis B (Recombinant) Vaccines, Thimerosal-Free

10 µg/mL, 1-mL SDV
(558-3753).....ea
(558-0737) 10/pkg
CPT® Code: 90746†. When 2 doses are given to an adolescent, CPT Code: 90743†.

RECOMBIVAX HB®–Pediatric/Adolescent
Hepatitis B Vaccine, Thimerosal-Free

5 µg/mL, 0.5-mL SDV
(558-6254) 10/pkg
CPT® Code: 90744†
Item stored under refrigeration.
May be shipped separately.
RECOMBIVAX HB® is a registered trademark of Merck & Co., Inc.

MERCK

RotaTeq®
Rotavirus Vaccine (Live), Oral, Pentavalent, 2-mL Single-Dose Tube
(558-8763).....10/pkg
CPT® Code: 90680†
RotaTeq® is a registered trademark of Merck & Co., Inc.

NOW AVAILABLE!
PREVNAR 13®
(546-0015)
Pneumococcal 13-valent Conjugate Vaccine (Diphtheria CRM197 Protein)
CALL TODAY!

MERCK

Td Vaccine
Tetanus and Diphtheria Toxoids, Adsorbed 7+ Years, Latex-free and Preservative-Free
Adults and adolescents should receive a Td vaccine booster shot every 10 years. Adults over the age of 65 should receive the Td vaccine instead of Tdap.
Source: cdc.gov.
(558-0011).....10/pkg
CPT® Code: 90714†

GlaxoSmithKline

TWINRIX®–Adult
Hepatitis A (Inactivated) and Hepatitis B (Recombinant) Vaccine

1-mL SDV
(254-3353) 10/pkg
1-mL Tip-Lok® Prefilled Syringe without Needle
(254-0030) 10/pkg
CPT® Code: 90636†

MERCK

VAQTA®–Pediatric/Adolescent
Hepatitis A (Inactivated) Vaccine, Thimerosal-Free, 25 U
0.5-mL SDV
(558-4255) 10/pkg
CPT® Code: 90633†
All vaccines include Federal Excise Tax (FET).
VAQTA® is a registered trademark of Merck & Co., Inc.

MERCK

VARIVAX®
Varicella (Chicken Pox) Virus (Live) Vaccine, Thimerosal-Free, Lyophilized

0.5-mL SDVs
(558-1037) .....ea
(558-1592).....10/box
CPT® Code: 90716†
Item stored frozen. May be shipped separately.
Nonreturnable product: No credit will be given for any return of this product.
All vaccines include Federal Excise Tax (FET).
VARIVAX® is a registered trademark of Merck & Co., Inc.

MERCK

ZOSTAVAX®
Zoster (Shingles) Vaccine, Live

0.7-mL SDV
(558-2363) .....ea
(558-2895) 10/pkg
Item stored frozen. May be shipped separately.
ZOSTAVAX® is a registered trademark of Merck & Co., Inc.

MEDICAL TIP

The only way to reduce the risk of developing shingles and the long-term pain that can follow shingles is to get vaccinated.
Source: ***www.CDC.gov***

BD Diagnostics – Preanalytical Systems

Technology Built On Trust

The BD Vacutainer® Push Button Blood Collection Set

- The only blood collection system with push-button technology
- Split-second activation for improved safety
- In-vein activation – assures retraction of the needle directly from the vein
- Intuitive design – reduces training

HS Reference No.	BD Reference No.	Product Description
9879975	367326	PBBCS 12" w/o Luer 21 x.75
9872637	367324	PBBCS 12" w/o Luer 23 x .75
9873303	367323	PBBCS 12" w/o Luer 25 x .75
2170920	367338	PBBCS 7" with Luer 21 x .75
2489708	367336	PBBCS 7" with Luer 23 x .75
9873358	367344	PBBCS 12" with Luer 21 x .75
9194247	367342	PBBCS 12" with Luer 23 x .75
9879168	367341	PBBCS 12" with Luer 25 x .75

BD Microtainer® Contact-Activated Lancets

- Designed with a Positive Patient Experience in Mind
- Activates on Contact
- Improves Puncture Accuracy
- Simplifies the Procedure

HS Reference No.	BD Reference No.	Dimensions (Width x Depth)	Blood Volume
1065174	366592	30 G x 1.5 mm, Purple	Low Flow
1065210	366593	21 G x 1.8 mm, Pink	Med. Flow
1065209	366594	1.5 mm x 2.0 mm, Blue	High Flow

View the product demonstration video!

Please visit: www.bd.com/vacutainer

BD

BD Diagnostics
Preanalytical Systems
1 Becton Drive
Franklin Lakes, NJ 07417
www.bd.com/vacutainer

The value of any rebates, discounts, incentives, or product provided to customer may constitute a "discount or other reduction in price" under Section 1128B(b)(3)(A) of the Social Security Act [42 U.S.C. Sec. 1320a-7b(b)(3)(A)]. Customer shall satisfy any and all requirements imposed on buyers relating to discounts or reductions in price, including, when required by law, to disclose all discounts or other reductions in price received from BD and to accurately report under any state or federal health care program the net cost actually paid by customer.

BD, BD Logo and all other trademarks are property of Becton, Dickinson and Company. © 2009 BD DIST072

The illusion is deceiving.
See your chemical allergy for what it is.
Ansell chemical accelerator-free gloves end the masquerade.
Prepare to be shocked as we unveil the mysterious source behind your allergy problem. While many often think latex is the cause of their suffering – the cleverly disguised culprit is often the chemical accelerators used to harden and shape both latex and synthetic gloves. In fact, 80% of reported glove associated contact dermatitis is attributed to chemical accelerators, also known as a Type IV allergy. Ansell has unmasked the true source of your suffering – and has taken measures to stop it. Only Ansell offers an entire line of premium exam and surgical gloves that are chemical accelerator-free and latex-free to keep uninvited chemical allergies out of your life. When it comes to recognizing and preventing chemical allergies, the masquerade is over. Let the celebration begin.
Visit AnsellProtects.com to have even more revealed.
GAMMEX DERMAPRENE ENCORE MICRO-TOUCH
Ansell
DermaPrene® Ultra Latex-Free, Powder-Free Surgical Gloves
Gloves.....50 pair/box
6 .....(685-1993)
6½ .....(685-3909)
7 .....(685-9192)
7½ .....(685-4205)
8 .....(685-2748)
8½ .....(685-7543)

SPECIAL CUSTOMER INVITATION

You are invited to check your eligibility to receive allocations of free **Rx Samples** from top pharmaceutical companies.

Follow these easy steps to check your eligibility and start ordering samples today!

1. Go to **www.henryscheinrxsamples.com**
2. Click *"Check Eligibility & Order Now"*
3. Enter Your NPI Number
4. Enter Prescriber Name
5. Click Continue

Once registered, you can order samples immediately.
Choose **'Recurring Request'** to receive reorder forms by fax each month.

Call **1.866.772.1580** for more information.

HENRY SCHEIN® MEDICAL

Henry Schein DxRx Solutions

We're there when you need us— with our DxRx Solutions Hotline

Do you have questions regarding the diagnostic, pharmaceutical and vaccine items that you purchase from Henry Schein? Need help finding a CPT code, package insert, or looking for brand to generic comparisons?

The Henry Schein DxRx Solutions Hotline provides information on the following topics for diagnostics, pharmaceuticals and vaccines:

- Indications and usage as provided on a package insert
- Package inserts
- Brand to generic comparisons
- CPT codes and J codes*

For informational purposes only. Source: Reimbursementcodes.com and/or www.cms.gov. Customer is responsible for verification of billing/coding in accordance with applicable specific circumstances.

- CLIA Product Status
- Storage Requirements
- ACIP recommendations for vaccinations
- State Law requirements for school and day care entry
- Latest updates on supply issues, and much more

Henry Schein DxRx Solutions | Privileges | Allscripts | Henry Schein Brand | Henry Schein Financial Services

HENRY SCHEIN® MEDICAL

1.800.PSCHEIN
www.henryschein.com/dxrxsolutions

Rely on Us

DxRxSolutions™ DIAGNOSE • TREAT • PREVENT

1.877.523.SHOT 8:30am–5:00pm, est
1.877.523.7468
dxrxsolutions@henryschein.com

GREENSTONE LLC

Amoxicillin Capsules

250 mg
(116-3839).....100/btl

250 mg
(116-3955).....500/btl

500 mg
(114-5373).....100/btl

500 mg
(110-6497).....500/btl

Amoxicillin Oral Suspension
Compare to Amoxil®

125 mg, 150 mL
(321-1562) .....ea

250 mg, 150-mL Bottle
(321-1662) .....ea

Amoxicillin Suspension
Dye-free

125mg, 150-mL Bottle
(108-8744) .....ea

250 mg, 150-mL Bottle
(108-3549) .....ea

Ampicillin Injectable

500 mg, 10-mL SDV
(115-4351).....10/box

1 g, 10-mL SDV
(115-4352).....10/box

Azithromycin Tablets
Compare to Zithromax®

250 mg
(111-9131) 18/box
Contains: 3 packages of 6 tablets.

250 mg
(114-5437).....30/btl

Pfizer

Bacitracin Powder for Injection
Compare to Baciguent®

50,000 U, 30 mL
(908-8136).....ea

Bicillin® L-A Injectable*
Prefilled Syringes
Penicillin G Benzathine IM Suspension

Pediatric, 21 ga x 1"
600,000 U/mL, 1 mL
(321-6704).....10/pkg

Adult, 21 ga x 1½"
1,200,000 U/mL, 2 mL
(321-7445).....10/pkg

Adult, 18 ga x 1½"
2,400,000 U/mL, 4 mL
(321-1663).....10/pkg

*Tubex injector is not required.


NDC 60793-600-10
1,200,000 units per 2 mL
Ten Syringes (2 mL size)
Bicillin® C-R
(penicillin G benzathine and penicillin G procaine injectable suspension)
FOR DEEP IM INJECTION ONLY
WARNING: NOT FOR INTRAVENOUS USE
BEFORE INJECTING, SEE PACKAGE INSERT FOR ADMINISTRATION INSTRUCTIONS.
NOT FOR THE TREATMENT OF SYPHILIS

Bicillin® C-R Injectable*
Prefilled Syringes
Penicillin G Benzathine and Penicillin G Procaine, IM Suspension

Pediatric, 1"
900/300 U/mL, 2 mL
(321-6738).....10/pkg

1,200,000 U/mL, 2 mL
(321-2437).....10/pkg

Adult, 1½"
1,200,000 U/mL, 2 mL
(321-7671).....10/pkg

*Tubex® Injector is not required.

Ceftriaxone Sodium Injectables
Compare to Rocephin®

250 mg, 6-mL SDV
(784-0052) 10/box

500 mg, 6-mL SDV
(784-8231) 10/box

1 g, 10-mL SDV
(784-6100) 10/box

2 g, 10-mL SDV
(784-8917).....10/box

Pfizer

Cefazolin Sodium Injectable
Compare to Ancef®

500 mg, 10-mL SDV
(108-8846).....10/box

1 g, 15-mL SDV
(115-3271).....25/box

Cephalexin Capsules

250 mg
(115-5331).....500/btl

500 mg
(408-0041).....500/btl

Ciprofloxacin HCl Tablets
Compare to Cipro®

250 mg
(104-8343).....100/btl

500 mg
(111-8894) 100/btl

Doxycycline Hyclate Capsules
Compare to Vibramycin®

100 mg
(116-3583).....50/btl
(104-8979) 500/btl

Doxycycline Hyclate Tablets
Compare to Vibratabs®

100 mg
(420-6350) 50/btl
(104-6364) 500/btl

Lincocin® Injectable

300 mg/mL, 10-mL MDV
(908-7376).....ea

NDC 61570-085-10
Penicillin G Procaine Injectable Suspension
FOR DEEP IM INJECTION ONLY
WARNING: NOT FOR INTRAVENOUS USE
BEFORE INJECTING, SEE PACKAGE INSERT FOR ADMINISTRATION INSTRUCTIONS.
600,000
Monarch Pharmaceuticals

Penicillin G Procaine Suspension Injectables

In Sterile Tubex Cartridges
600,000 U, 1-mL Vials
(607-5325).....10/box

1,200,000 U/mL, 2-mL Vials
(607-2846).....10/box

Injectables

Aristospan® Injectable
20 mg/mL, 5-mL Vial
(266-1855) .....ea

Celestone® Soluspan® Injectable Suspension
6 mg/mL, 5-mL MDV
(516-0266) .....ea

Betamethasone Sodium Phosphate and Betamethasone Acetate
Compare to Celestone® Soluspan®
6 mg/mL, 5-mL MDV
(114-8668) .....ea

Pfizer

Depo-Medrol® Injectables
40 mg/mL, 1-mL SDV
(908-5362) .....ea
(231-1203) 25/box
80 mg/mL, 1-mL SDV
(908-7936) .....ea

Pfizer

Depo-Medrol® Injectables
Methylprednisolone Acetate
40 mg/mL, 5-mL MDV
(908-9783) .....ea
40 mg/mL, 10-mL MDV
(908-1188) .....ea
80 mg/mL, 5-mL MDV
(908-3787) .....ea

depo-SubQ Provera 104® Injectable
Medroxyprogesterone Acetate Contraceptive
104 mg/0.65-mL Prefilled Syringe
(908-0010) .....ea

Pfizer

Depo®-Testosterone Injectables–CIII
100 mg/mL, 10-mL MDV
(908-3439) .....ea
200 mg/mL, 1-mL SDV
(908-7332) .....ea
200 mg/mL, 10-mL MDV
(908-0963) .....ea

WOW!

Hospira

Epinephrine Injectable Ampules
Nonreturnable
1:1000, 1 mL
(258-9483) 5/pkg

Epinephrine Injectable
1:1000
30-mL MDV
(103-0990) 5/box

Hospira

Epinephrine Ampules
1:1000
1 mg/mL, 1 mL
(104-7057) 25/box

Kenalog®-10 Injectable
Triamcinolone Acetonide
10 mg/mL, 5-mL MDV
(196-0545) .....ea

Kenalog®-40 Injectables
Triamcinolone Acetonide
40 mg/mL, 1-mL SDV
(196-8300) .....ea
40 mg/mL, 5-mL MDV
(196-1737) .....ea
40 mg/mL, 10-mL MDV
(196-9429) .....ea

MEDICAL TIP

March is Colorectal Cancer Awareness Month – Talk to your patients today.

Of cancers affecting both men and women, colorectal cancer is the second leading cancer killer in the United States. Colorectal cancer also is one of the most commonly diagnosed cancers in the United States.

Source: ***www.CDC.gov***

Cyanocobalamin (Vitamin B-12)
1000 mcg/mL, 30-mL MDV
(103-9497) 5/box

Dexamethasone Sodium Phosphate Injectables
Compare to Decadron®
4 mg/mL, 1-mL SDV
(375-0168).....25/pkg
4 mg/mL, 5 mL
(375-1975) 25/pkg
4 mg/mL, 30 mL
(102-4486) .....ea
10 mg/mL, 1 mL
(138-6758) 25/pkg
10mg/mL, 10-mL MDV
(112-3411).....10x10ml

Hospira
Ketorolac Injectable*
Compare to Toradol®
15 mg/mL, 1-mL SDV, IM and IV Use
(104-9907) 25/box
30 mg/mL, 1-mL SDV, IM and IV Use
(104-9908) 25/box
60 mg/2 mL, 2-mL SDV, IM Use Only
(104-9909) 25/box
Call for Availability!

Lidocaine HCl with Epinephrine Injectable*
Compare to Xylocaine® with Epinephrine
50-mL MDV
1%
(248-7453) .....ea
2%
(248-1961) .....ea
Call for Availability!

Hospira
Marcaine® Injectables*
0.5%, 50-mL MDV
(631-2615) .....ea
Call for Availability!

Medroxyprogesterone Acetate Injectable Suspension
Compare to Depo-Provera®
150 mg/mL, 1-mL Prefilled Syringe
(116-7444).....ea

Ondansetron Injectable
Compare to Zofran®
2 mg/mL, 2-mL SDV
(114-5357).....5/pkg
2 mg/mL, 20-mL MDV
(114-5412).....ea

Promethazine HCl Injectable Ampules
Compare to Phenergan Ampules®
25 mg/mL, 1 mL
(375-3662) 25/box
50 mg/mL, 1 mL
(375-1745).....25/box

APP
Propofol Injectable with EDTA
Compare to Diprivan®
10 mg/mL, 20-mL SDV
(116-5903).....10/box
10 mg/mL, 50-mL SDV
(116-5902).....20/box
10 mg/mL, 100-mL SDV
(116-5901).....10/box

MEDICAL TIP

Colorectal Cancer Screening Saves Lives

Colorectal cancer screening saves lives. If everyone aged 50 years old or older were screened regularly, as many as 60% of deaths from this cancer could be avoided.

Source: ***www.CDC.gov***

MedroxyPROGESTERone Acetate Injectable Suspension
Compare to Depo-Provera® Contraceptive
150 mg/mL, 1-mL SDV
(108-3517) .....ea

Hospira
Propofol Injectable*
10 mg/mL, 50-mL SDV
(110-1262).....20/box
Without Sulfate
100-mL SDV, 10 mg/mL
(110-7216).....10/pkg
10 mg/mL, 20-mL SDV
(248-6832) 5/box
*Benzyl alcohol as preservative.
Call for Availability

Pfizer
Solu-Medrol® Injectables
500 mg, 8-mL Vial
(908-6745) .....ea
1000 mg, 16-mL Vial
(932-1096) .....ea
Act-O-Vials, Preservative-Free
40 mg, 1-mL Vial
(382-0014) 25/pkg
125 mg, 2-mL Vial
(382-0015) 25/pkg
500 mg, 4-mL Vial
(382-0016) .....ea
1 g, 8-mL Vial
(382-0017) .....ea

APP
Xylocaine Plain
1%, 50-mL MDV
(248-0409).....ea
2%, 50-mL MDV
(248-0394).....ea

Zofran® Injectable
Ondansetron
2 mg/mL, 20-mL MDV
(254-0038).....ea

Our innovation evolved

with Gebauer's Ethyl Chloride®.

Gebauer's Ethyl Chloride® ACCU-STREAM 360™ with Sure Lock Technology™

HENRY SCHEIN® MEDICAL

- New actuator streamlines the application process, enhancing the patient experience
- Quickly and accurately sprays from almost every angle—even upside down
- Easy-to-use safety locking ring prevents accidental spraying
- Gebauer products are the only topical anesthetic skin refrigerants FDA cleared for pre-injection anesthesia and for use prior to minor surgical procedures



Contact your local Henry Schein Sales Consultant, call 1-800-772-4346 or visit www.henryschein.com/medical to purchase:

i. 761-0016 Medium 4/box
ii. 761-0017 Fine 4/box

Important Risk and Safety Information for Gebauer's Ethyl Chloride: Published clinical trial results support the use in children 3 years of age and older. Ethyl Chloride is FLAMMABLE and should never be used in the presence of an open flame or electrical cautery equipment. Inhalation should be avoided as it may produce narcotic and general anesthetic effects, and may produce deep anesthesia, fatal coma or cardiac arrest. Do not spray in eyes. Over spraying may cause frostbite. Freezing may alter skin pigmentation. The thawing process may be painful, and freezing may lower resistance to infection and delay healing. Cutaneous sensitization may occur, but appears to be extremely rare. Long-term exposure may cause liver or kidney damage. Rx Only.

Gebauer Company

The Most Trusted Name In Skin Refrigerants For Over 100 years!®

Cleveland, OH 44128 | 1-800-321-9348 | **www.gebauer.com**

Spec. 714.1-002 © 2011 Gebauer Company 08/11

Call Henry Schein Today! 1-800-772-4346
www.henryschein.com/medical

12MS6114

HSV-1

Prescribe Denavir — your patients can be prepared for their next outbreak.

Convenience of a 5-gram tube.
Potentially only one patient co-pay for multiple outbreaks.

Efficacy at your patient's fingertip.
Patients apply steroid-free Denavir directly to the cold sore,[1] providing relief from the discomfort, dryness and cracking.[2]

Reduction in the duration of the lesion.[1]
Denavir also reduces the duration of pain associated with the lesion.[1]

The same trusted MOA as oral antivirals.[1,3,4]
Denavir is an effective, topical cream, antiviral medication [1,3,4] that is not systemically absorbed.*[1]

Eligible patients pay no more than $15 with a coupon (subject to eligibility restrictions and limitations).†
Visit denavir.com for details.

A favorable safety profile.[1]
Denavir was well tolerated in clinical trials. The most frequently reported adverse events were headache (5.3% vs. 5.8% with placebo) and application site reaction (1.3% vs. 1.8% with placebo).

Dosing every 2 hours during waking hours for a period of 4 days.[1]

New American Therapeutics, Inc. supports physicians and patients with educational materials and coupons (subject to eligibility restrictions and limitations. Please see full restrictions and limitations below). † Download both at no cost at Denavir.com or call 1-888-DENAVIR (1-888-336-2847).

Denavir® (penciclovir cream, 1%) is indicated for the treatment of recurrent herpes labialis (cold sores) in adults and children 12 years of age and older.

IMPORTANT SAFETY INFORMATION
Denavir should only be used on herpes labialis on the lips or face. Application to mucous membranes is not recommended. *Denavir* should not be used in patients with known hypersensitivity to the product or any of its ingredients.

***Denavir* is available by prescription only. Please see the Full Prescribing Information on the back.**

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

*The systemic absorption of penciclovir following topical administration has not been evaluated in patients less than 18 years of age.[1]

†If a patient's co-pay or pharmacy bill exceeds $15, they can present the certificate to the pharmacist for an instant rebate of up to a maximum of $45 for each Denavir prescription. If their total out-of-pocket pharmacy bill exceeds $60 for any single Denavir prescription, they will be responsible for the additional balance. Not valid with any other offer. **Subject to eligibility restrictions and limitations.** This offer is not valid for prescriptions reimbursed in whole or part by Medicaid, Medicare, or any other federal or state program (including any prescription drug programs). This offer is not valid in Massachusetts except for cash-paying patients, or where otherwise prohibited by law.

References
1. Denavir (penciclovir cream, 1%) Prescribing Information. Cranford, NJ: New American Therapeutics, Inc. December, 2010. **2.** Boon R, Goodman JJ, Martinez J, et al; for the Penciclovir Cream Herpes Labialis Study Group. Penciclovir cream for the treatment of sunlight-induced herpes simplex labialis: a randomized, double-blind, placebo-controlled trial. *Clin Ther.* 2000;22:76-90. **3.** Valtrex (valacyclovir hydrochloride) Prescribing Information. Research Triangle Park, NC: GlaxoSmithKline. September, 2008. **4.** Famvir (famciclovir) Prescribing Information. East Hanover, NJ: Novartis Pharmaceuticals Corporation. December, 2009.

New American Therapeutics, Inc. holds the exclusive right to market and distribute Denavir in the United States. Denavir® is a registered trademark of New American Therapeutics, Inc.

NEW AMERICAN THERAPEUTICS
natxcorp.com

Progress through practical innovation

4 Becker Farm Road, Roseland, NJ 07068 ©2011 New American Therapeutics, Inc. 07/2011 DEN-0057

Denavir® (penciclovir cream, 1%)

NEW AMERICAN THERAPEUTICS

Denavir®

brand of
penciclovir cream, 1%
For Dermatologic Use Only
Rx only

Prescribing Information

DESCRIPTION

Denavir contains penciclovir, an antiviral agent active against herpes viruses. *Denavir* is available for topical administration as a 1% white cream. Each gram of *Denavir* contains 10 mg of penciclovir and the following inactive ingredients: cetomacrogol 1000 BP, cetostearyl alcohol, mineral oil, propylene glycol, purified water and white petrolatum.

Chemically, penciclovir is known as 9-[4-hydroxy-3-(hydroxymethyl) butyl]guanine. Its molecular formula is $C_{10}H_{15}N_5O_3$; its molecular weight is 253.26. It is a synthetic acyclic guanine derivative and has the following structure:



penciclovir

Penciclovir is a white to pale yellow solid. At 20°C it has a solubility of 0.2 mg/mL in methanol, 1.3 mg/mL in propylene glycol, and 1.7 mg/mL in water. In aqueous buffer (pH 2) the solubility is 10.0 mg/mL.

Penciclovir is not hygroscopic. Its partition coefficient in n-octanol/water at pH 7.5 is 0.024 (logP= -1.62).

CLINICAL PHARMACOLOGY

Microbiology

Mechanism of Antiviral Activity: The antiviral compound penciclovir has *in vitro* inhibitory activity against herpes simplex virus types 1 (HSV-1) and 2 (HSV-2). In cells infected with HSV-1 or HSV-2, viral thymidine kinase phosphorylates penciclovir to a monophosphate form which, in turn, is converted to penciclovir triphosphate by cellular kinases. *In vitro* studies demonstrate that penciclovir triphosphate inhibits HSV polymerase competitively with deoxyguanosine triphosphate. Consequently, herpes viral DNA synthesis and, therefore, replication are selectively inhibited.

Antiviral Activity *In Vitro* and *In Vivo*: In cell culture studies, penciclovir has antiviral activity against HSV-1 and HSV-2. Sensitivity test results, expressed as the concentration of the drug required to inhibit growth of the virus by 50% (IC_{50}) or 99% (IC_{99}) in cell culture, vary depending upon a number of factors, including the assay protocols. See Table 1.

Table 1

Method of Assay	Virus Type	Cell Type	IC50 (mcg/mL)	IC99 (mcg/mL)
Plaque Reduction	HSV-1 (c.i.)	MRC-5	0.2-0.6	
	HSV-1 (c.i.)	WISH	0.04-0.5	
	HSV-2 (c.i.)	MRC-5	0.9-2.1	
	HSV-2 (c.i.)	WISH	0.1-0.8	
Virus Yield Reduction	HSV-1 (c.i.)	MRC-5		0.4-0.5
	HSV-2 (c.i.)	MRC-5		0.6-0.7
DNA Synthesis Inhibition	HSV-1 (SC16)	MRC-5	0.04	
	HSV-2 (MS)	MRC-5	0.05	

(c.i.) = clinical isolates. The latent state of any herpes virus is not known to respond to any antiviral therapy.

Drug Resistance: Penciclovir-resistant mutants of HSV can result from qualitative changes in viral thymidine kinase or DNA polymerase. The most commonly encountered acyclovir-resistant mutants that are deficient in viral thymidine kinase are also resistant to penciclovir.

Pharmacokinetics

Measurable penciclovir concentrations were not detected in plasma or urine of healthy male volunteers (n=12) following single or repeat application of the 1% cream at a dose of 180 mg penciclovir daily (approximately 67 times the estimated usual clinical dose).

Pediatric Patients: The systemic absorption of penciclovir following topical administration has not been evaluated in patients <18 years of age.

CLINICAL TRIALS

Denavir was studied in two double-blind, placebo (vehicle)-controlled trials for the treatment of recurrent herpes labialis in which otherwise healthy adults were randomized to either *Denavir* or placebo. Therapy was to be initiated by the subjects within 1 hour of noticing signs or symptoms and continued for 4 days, with application of study medication every 2 hours while awake. In both studies, the mean duration of lesions was approximately one-half-day shorter in the subjects treated with *Denavir* (N=1,516) as compared to subjects treated with placebo (N=1,541) (approximately 4.5 days versus 5 days, respectively). The mean duration of lesion pain was also approximately one-half-day shorter in the *Denavir* group compared to the placebo group.

INDICATIONS AND USAGE

Denavir (penciclovir cream) is indicated for the treatment of recurrent herpes labialis (cold sores) in adults and children 12 years of age and older.

CONTRAINDICATIONS

Denavir is contraindicated in patients with known hypersensitivity to the product or any of its components.

PRECAUTIONS

General

Denavir should only be used on herpes labialis on the lips and face. Because no data are available, application to human mucous membranes is not recommended. Particular care should be taken to avoid application in or near the eyes since it may cause irritation. Lesions that do not improve or that worsen on therapy should be evaluated for secondary bacterial infection. The effect of *Denavir* has not been established in immunocompromised patients.

Information for Patients

Denavir is a prescription topical cream for the treatment of cold sores (recurrent herpes labialis) that occur on the face and lips. It is not a cure for cold sores and not all patients respond to it. Do not use if you are allergic to *Denavir* (penciclovir) or any of the ingredients in *Denavir* cream. Before you use *Denavir*, tell your doctor if you are pregnant, planning to become pregnant, or are breast-feeding.

Directions: Wash your hands. Your face should be clean and dry. Apply a layer of *Denavir* cream to cover only the cold sore area or the area of tingling (or other symptoms) before the cold sore appears. Rub in the cream until it disappears. Apply the cream every 2 hours during waking hours for 4 days. Even though *Denavir* works at the blister stage, treatment should be started at the earliest sign of a cold sore (i.e. tingling, redness, itching, or bump). Wash your hands with soap and water after using *Denavir* cream. Store *Denavir* cream at room temperature (59°- 86°F). Keep out of reach of children.

Possible side effects: *Denavir* cream was well tolerated in clinical studies in patients with cold sores. The most frequently reported side effect was headache. Common skin-related side effects of *Denavir* cream are application site reactions, local anesthesia, taste perversion, and rash.

Carcinogenesis, Mutagenesis, Impairment of Fertility

In clinical trials, systemic drug exposure following the topical administration of penciclovir cream was negligible, as the penciclovir content of all plasma and urine samples was below the limit of assay detection (0.1 mcg/mL and 10 mcg/mL, respectively). However, for the purpose of inter-species dose comparisons presented in the following sections, an assumption of 100% absorption of penciclovir from the topically applied product has been used. Based on use of the maximal recommended topical dose of penciclovir of 0.05 mg/kg/day and an assumption of 100% absorption, the maximum theoretical plasma $AUC_{0\text{-}24\ hrs}$ for penciclovir is approximately 0.129 mcg.hr/mL.

Carcinogenesis: Two-year carcinogenicity studies were conducted with famciclovir (the oral prodrug of penciclovir) in rats and mice. An increase in the incidence of mammary adenocarcinoma (a common tumor in female rats of the strain used) was seen in female rats receiving 600 mg/kg/day (approximately 395x the maximum theoretical human exposure to penciclovir following application of the topical product, based on area under the plasma concentration curve comparisons [24 hr. AUC]). No increases in tumor incidence were seen among male rats treated at doses up to 240 mg/kg/day (approximately 190x the maximum theoretical human AUC for penciclovir), or in male and female mice at doses up to 600 mg/kg/day (approximately 100x the maximum theoretical human AUC for penciclovir).

Mutagenesis: When tested *in vitro*, penciclovir did not cause an increase in gene mutation in the Ames assay using multiple strains of *S. typhimurium* or *E. coli* (at up to 20,000 mcg/plate), nor did it cause an increase in unscheduled DNA repair in mammalian HeLa S3 cells (at up to 5,000 mcg/mL). However, an increase in clastogenic responses was seen with penciclovir in the L5178Y mouse lymphoma cell assay (at doses ≥1000 mcg/mL) and, in human lymphocytes incubated *in vitro* at doses ≥250 mcg/mL. When tested *in vivo*, penciclovir caused an increase in micronuclei in mouse bone marrow following the intravenous administration of doses ≥500 mg/kg (≥810x the maximum human dose, based on body surface area conversion).

Impairment of Fertility: Testicular toxicity was observed in multiple animal species (rats and dogs) following repeated intravenous administration of penciclovir (160 mg/kg/day and 100 mg/kg/day, respectively, approximately 1155 and 3255x the maximum theoretical human AUC). Testicular changes seen in both species included atrophy of the seminiferous tubules and reductions in epididymal sperm counts and/or an increased incidence of sperm with abnormal morphology or reduced motility. Adverse testicular effects were related to an increasing dose or duration of exposure to penciclovir. No adverse testicular or reproductive effects (fertility and reproductive function) were observed in rats after 10 to 13 weeks dosing at 80 mg/kg/day, or testicular effects in dogs after 13 weeks dosing at 30 mg/kg/day (575 and 845x the maximum theoretical human AUC, respectively). Intravenously administered penciclovir had no effect on fertility or reproductive performance in female rats at doses of up to 80 mg/kg/day (260x the maximum human dose [BSA]).

There was no evidence of any clinically significant effects on sperm count, motility or morphology in 2 placebo-controlled clinical trials of Famvir® (famciclovir [the oral prodrug of penciclovir], 250 mg b.i.d.; n=66) in immunocompetent men with recurrent genital herpes, when dosing and follow-up were maintained for 18 and 8 weeks, respectively (approximately 2 and 1 spermatogenic cycles in the human).

Pregnancy

Teratogenic Effects-Pregnancy Category B. No adverse effects on the course and outcome of pregnancy or on fetal development were noted in rats and rabbits following the intravenous administration of penciclovir at doses of 80 and 60 mg/kg/day, respectively (estimated human equivalent doses of 13 and 18 mg/kg/day for the rat and rabbit, respectively, based on body surface area conversion; the body surface area doses being 260 and 355x the maximum recommended dose following topical application of the penciclovir cream). There are, however, no adequate and well-controlled studies in pregnant women. Because animal reproduction studies are not always predictive of human response, penciclovir should be used during pregnancy only if clearly needed.

Nursing Mothers

There is no information on whether penciclovir is excreted in human milk after topical administration. However, following oral administration of famciclovir (the oral prodrug of penciclovir) to lactating rats, penciclovir was excreted in breast milk at concentrations higher than those seen in the plasma. Therefore, a decision should be made whether to discontinue the drug, taking into account the importance of the drug to the mother. There are no data on the safety of penciclovir in newborns.

Pediatric Use

An open-label, uncontrolled trial with penciclovir cream 1% was conducted in 102 patients, ages 12-17 years, with recurrent herpes labialis. The frequency of adverse events was generally similar to the frequency previously reported for adult patients. Safety and effectiveness in pediatric patients less than 12 years of age have not been established.

Geriatric Use

In 74 patients ≥ 65 years of age, the adverse events profile was comparable to that observed in younger patients.

ADVERSE REACTIONS

In two double-blind, placebo-controlled trials, 1516 patients were treated with *Denavir* (penciclovir cream) and 1541 with placebo. The most frequently reported adverse event was headache, which occurred in 5.3% of the patients treated with *Denavir* and 5.8% of the placebo-treated patients. The rates of reported local adverse reactions are shown in Table 2 below. One or more local adverse reactions were reported by 2.7% of the patients treated with *Denavir* and 3.9% of placebo-treated patients.

Table 2–Local Adverse Reactions Reported in Phase III Trials

	Penciclovir n= 1516 %	Placebo n=1541 %
Application site reaction	1.3	1.8
Hypesthesia/Local anesthesia	0.9	1.4
Taste perversion	0.2	0.3
Pruritus	0.0	0.3
Pain	0.0	0.1
Rash (erythematous)	0.1	0.1
Allergic reaction	0.0	0.1

Two studies, enrolling 108 healthy subjects, were conducted to evaluate the dermal tolerance of 5% penciclovir cream (a 5-fold higher concentration than the commercial formulation) compared to vehicle using repeated occluded patch testing methodology. The 5% penciclovir cream induced mild erythema in approximately one-half of the subjects exposed, an irritancy profile similar to the vehicle control in terms of severity and proportion of subjects with a response. No evidence of sensitization was observed.

Post-Marketing Experience

The following events have been identified from worldwide post-marketing use of *Denavir* in treatment of recurrent herpes labialis (cold sores) in adults. These events have been chosen for inclusion due to a combination of their seriousness, frequency of reporting, or potential causal connection to *Denavir* cream.

General: Headache, oral/pharyngeal edema, parosmia.

Skin: Application site reactions, aggravated condition, decreased therapeutic response, erythematous rash, local edema, pain, paresthesia, pruritus, skin discoloration and urticaria.

OVERDOSAGE

Since penciclovir is poorly absorbed following oral administration, adverse reactions related to penciclovir ingestion are unlikely. There is no information on overdose.

DOSAGE AND ADMINISTRATION

Denavir should be applied every 2 hours during waking hours for a period of 4 days. Treatment should be started as early as possible (i.e., during the prodrome or when lesions appear).

HOW SUPPLIED

Denavir is supplied in a 1.5 gram and 5 gram tube containing 10 mg of penciclovir per gram.

1.5 gram NDC 50816-624-01

5 gram NDC 50816-624-05

Store at controlled room temperature, 20°-25° C (68°-77°F) [see USP]

QUESTIONS? call **1-866-736-8798**.

NEW AMERICAN THERAPEUTICS

262F400

December 2010

DEN-0042

Manufactured for **New American Therapeutics, Inc.**
Cranford, NJ 07016
by Novartis Pharma GmbH, Wehr, Germany

©2010 New American Therapeutics, Inc.

Printed in U.S.A.

PHARMACEUTICAL OVERSTOCK SPECIALS!

ITEM#	DESCRIPTION	STRENGTH	SIZE
(472-4712)	Acetaminophen Suppository Pediatric	120mg	12/Bx
(114-6431)	Amoxicillin Oral Suspension	400mg/5	50ml/Bt
(110-0624)	Amoxicillin/Clav Suspension	200/28.	50ml/Bt
(159-3869)	Anzemet Inj SDV	100mg	5ml/Vl
(114-7474)	Artificial Tears Ointment	3.5gm	3.5gm/Tb
(102-4270)	Atropine Sulfate Ophthalmic Ointment	1%	1/8oz/Tb
(102-2436)	Betamethasone Dip Ointment	0.05%	15gm
(102-8125)	Betamethasone Dip Ointment	.05%	45gm/Ea
(102-6809)	Betamethasone Diprop Cream	0.05%	15gm/Tb
(102-9509)	Betamethasone Diprop Cream	0.05%	45gm/Tb
(115-5026)	Carbidopa/Levodopa Tablet	50/200M	100/Bt
(116-3469)	Childs Vit/Iron Chew Tabs		100/Bt
(111-4778)	Ciprofloxacin HCl Tabs	750mg	50/Bt
(116-4456)	Clobetasol Propionat Ointment	0.05%	30gm/Tb
(116-3991)	Clobetasol Propionate Cream	0.05%	45gm/Tb
(102-7151)	Clotrimazole Betameth Dip	Cream	45gm/Tb
(116-5257)	Clotrimazole Top Cream (OTC)	1%	1oz/Tb
(248-6407)	Dextrose Inj Infant Syrup N	25%	10ml
(110-0837)	Dibucaine Ointment (OTC)	1%	1oz/Tb
(118-1223)	Diethylpropion Tablets - CIV	25mg	100/Bt
(108-9223)	Diphenhydramine Hcl Alrg (OTC)	Syrup	4oz/Bt
(258-7057)	Dipyridamole Inj SDV	5mg/mL	10ml/Vl
(400-0004)	Doxazosin Mesylate Tabs	2mg	100/Bt
(114-7066)	Doxazosin Mesylate Tabs	8mg	100/Bt
(111-8734)	Ferrous Sulfate Tabs Grn (OTC)	5GR	100/Bt
(110-6679)	Folic Acid Tablets (OTC)	400mcg	100/Bt
(408-0243)	Glyburide Micronized Tablets	6mg	100/Bt
(111-8862)	Griseofulvin Oral Suspension	125mg/5	4oz/Bt
(248-8148)	Hep Sod Inj Porc MDV	10000U	1ml/Vl
(102-5557)	Hydrocodone & Homatropine	Syrup	16oz/Bt
(104-9352)	Labetalol Tablets	100mg	100/Bt
(102-1072)	Nystatin Cream	100000U	15gm/Tb
(115-3532)	Oxytocin Inj SDV 1ml	10U/mL	25/Bx
(150-0021)	Polocaine Inj MDV	1%	50ml/Vl
(248-0340)	Propranolol Inj SDV	1mg/mL	1mg/Vl
(248-0346)	Sodium Bicarb Inj Abj	7.5%	50ml/Ea
(102-4704)	Sulfatrim Ped Susp Cherry	200/40M	16oz/Bt
(420-7716)	Sulfatrim Ped Susp Grape	200/40M	16oz/Bt
(110-7673)	Tamiflu Caps Seas Flu	45mg	10/Pk
(113-1863)	Terconazole Vaginal Cream	0.4%	45gm/Tb
(111-6854)	Theophylline Er Tabs	200mg	100/Bt
(258-0090)	Torsemide Inj SDV N-R	10mg/mL	2ml/Vl
(258-0089)	Torsemide Inj SDV N-R	10mg/mL	5ml/Vl
(258-4971)	Water For Inj Non Return	100mL	Ea
(150-0068)	Xylocaine W/Epi 10ml SDV	1% MPF	25/Pk
(659-7352)	Zithromax Or/Sus 200mg/5m	1200mg	30ml

HENRY SCHEIN®
HYDROCORTISONE CREAM 1%, USP
Compare to Active Ingredient in Cortaid®
Itch relief for minor skin irritations, inflammation, and rashes. Active ingredient: hydrocortisone, USP, 10 mg.

1-oz Tube
(900-4787).....ea

HENRY SCHEIN®
TRIPLE ANTIOBIOTIC OINTMENT, USP
Compare to Active Ingredients in Neosporin®
Helps prevent infection in minor cuts and burns. Active ingredients: bacitracin zinc, 400 units; neomycin sulfate, 5 mg; and polymyxin B sulfate, 5000 units.

1-oz Tube
(900-4972).....ea

0.9-g Unit-Dose Packets
(900-4788).....144/box

Nice'n Clean Baby Wipes
Unscented
(602-5044).....80/box

Bausch & Lomb
ReNu® Multi-Purpose Solution
4 oz
(242-0126).....ea $4.55
12 oz
(242-0128).....ea

Lubricating Jelly
Ultra Seal
Sterile
2-oz Screw Top
(116-5956).....12/box
4-oz Screw Top
(116-6083).....12/box
2-oz Flip Top
(116-5072).....12/box
4-oz Flip Top
(116-5073).....12/box
3-g Foil Pack
(112-5679).....144/box
5-g Foil Pack
(116-4591).....144/box

HENRY SCHEIN®
ALCOHOL, RUBBING ♦
Isopropyl 70%
16-oz Bottle
(102-4716).....ea

1-gal Bottle
(102-4799).....ea

Denatured
For burning. Not for hard-surface disinfection.
16-oz Bottle
(100-0034).....ea

1-gal Bottle
(100-0108).....ea

♦ Hazardous material

HENRY SCHEIN®
APAP EXTRA STRENGTH TABLETS–UNIT DOSE
Compare to Tylenol®
Extra Strength
- Manufactured and packaged in the US
- Highest quality-control standards under the FDA
- Packaged in 250 sealed-in pouches of 2 tablets each
- Convenient dispenser box
- Color-coded inner and outer packaging

500 mg
(900-4690).....500/box
Contains: 250 pouches of 2 tablets.
Active ingredient: acetaminophen, 500 mg

HENRY SCHEIN®
IBUPROFEN TABLETS UNIT DOSE
Compare to Motrin®
200 mg
(900-4691).....500/box
Contains: 250 pouches of 2.
Each tablet contains ibuprofen, 200 mg.

MEDICAL TIP

Every 45 seconds, someone will suffer a new or recurrent stroke.
Every 3.1 minutes, someone will die from a stroke.

Source: ***www.CDC.gov***

Biofreeze® with ILEX

Effectively helps relieve pain from:

A unique, effective analgesic formulated to provide a variety of benefits for therapy, pain relief, exercise/training, and overall comfort.

- Sore muscles and muscle sprains
- Back, shoulder, and neck pain
- Arthritis
- Painful ankle, knee, hip, and elbow joints

Roll-On, 3 oz
(601-0710).....ea
Spray, 2 oz
(601-0425).....ea
Spray, 4 oz
(601-0426).....ea
Spray, 16 oz
(601-0427).....ea
Tube, 4 oz
(601-0707).....ea
Pump Bottle, 16 oz
(601-0713).....ea
Pump Bottle, 32 oz
(601-0714).....ea
Pump Bottle, 1 gal
(103-2031).....ea
Dispenser and Packet, 5 g
(601-0712).....100/box
Gel Tube with Applicator, 4 oz
(601-0432).....ea
Wipes
(601-0433).....24/box

AmLactin® Moisturizing Body Lotion
A special formulation of 12% lactic acid neutralized with ammonium hydroxide to provide a lotion pH of 4.5-5.5. Lactic acid, an alpha-hydroxy acid, is a naturally occurring humectant for the skin. Moisturizes, exfoliates and softens rough, dry skin.

225-g Bottle
(501-0004).....ea
500-g Bottle
(501-0005).....ea

Fleet® Enema
4.5 oz
(120-3531).....ea

Medique
Medikoff® Drops–Bulk Refill
Compare to Halls®
Menthol/eucalyptus vapor-action cough drops.

Cherry
(151-4400).....600/box
Each drop contains: menthol, 7.6 mg.



COVIDIEN

SharpStar™ In-Room™ Safety Containers

Automatic Shut off Design

- Prevents overfilling

Tamper Resistant Lid

- Reduces accidental or intentional exposure to contents

Sturdy, Locking Cabinets

- Provides secondary barrier of protection

Ordering Information

Code	Code	Description	Qty
271-2717	8506SA	5 Quart Clear Container w/Counter Balance Lid	Ea.
890-4792	8507SA	5 Quart Red Container w/Counter Balance Lid	Ea.
890-2354	85161H	5 Quart Wall Enclosure	Ea.
666-3672	8556H	5 Quart Wall Enclosure w/Glove Box & 8507SA Container	Ea.

www.covidien.com

COVIDIEN, COVIDIEN with Logo and ™ marked brands are trademarks of Covidien AG or an affiliate.© 2009 Covidien. All rights reserved.



CaviCide® and CaviWipes®

give you what a supermarket brand can't:

Confidence - and a 3 minute TB kill claim.

Take advantage of these great deals through April 10, 2012

- Purchase 1 case of CaviWipes (6402805) and **get 1 CaviWipes canister (6402805) free.**
- Purchase 1 case of CaviWipes in a flat pack (6402566) and **get 5 wall mounts (6400009) for free.**
- Purchase 1 case of CaviWipesXL singles (6402854) and **get 1 box of CaviWipesXL singles (6402854) free.**
- Purchase 1 case of CaviCide gallon (6400012) and **get 2 bottles of CaviCide 24 oz Spray (6402261) free.**

To redeem your FREE goods please use promo code B9.

Metrex

metrex.com

©2011 Metrex Research.
Metrex, CaviWipes and CaviCide are registered Trademarks of Metrex Research.

More efficient than the lab

- Results in 5 minutes
- Portable – use in multiple exam rooms
- Small (5µL) blood sample
- Easy to use – minimal training required
- No maintenance

Key features

- Lab accuracy
- National Glycohemoglobin Standardization Program (NGSP) certified
- CLIA waived
- Reimbursable – bill to CPT code 83037

Bayer's A1CNow+® Multi-Test A1C System

Bayer's A1CNow+® provides you with a fast and easy way to obtain accurate A1C results in your office. This innovative technology enables you to communicate face-to-face with your patients about their diabetes control.

ORDER NUMBER	DESCRIPTION
DCD302	A1CNow+® Mult-Test A1C System, 1 kit - 10/bx
DCD3021	A1CNow+® Mult-Test A1C System, 1 kit - 20/bx

Basic features

- Test time - 5 Seconds
- Memory - 480 results
- Sample size - 0.6µL

Advanced features

- 2 Settings — Basic (L1) and Advanced (L2 modes)
- 7-, 14-, and 30-day averages
- 7-day HI and LO summary

Bayer's CONTOUR® Blood Glucose Monitoring System

For fast, accurate results using No Coding™ technology, automatic underfill detection, control marking and temperature correction. PC download option available. For use with CONTOUR® Blood Glucose Test Strips.

ORDER NUMBER	DESCRIPTION
DCD7189	CONTOUR® Blood Glucose Monitoring System, each

Bayer HealthCare
Diabetes Care

©2011 Bayer HealthCare LLC. Bayer (reg'd), Bayer Cross (reg'd), and A1CNow+ (reg'd) are trademarks of Bayer.

Bayer HealthCare

CONTOUR® Blood Glucose Meter

Cleared for multiple-site testing, which means more choice and flexibility about where you test: finger, forearm, palm, abdomen, or thigh—it's up to you. However, be sure to talk with your health care professional first to ensure that alternate site testing is right for you.

- No coding required
- Automatic underfill detection
- Automatic control marking
- Automatic temperature control
- Small sample size (0.6 µL)
- Quick testing time–results in 15 seconds
- Saves information for up to 240 tests with time and date

#7151, Meter
(147-1405).....ea

#7099, Strips
(147-9303).....50/vial

#7109, Control–Normal, 2.5 mL
(147-0874).....ea

#06707466, Control–High, 2.5 mL
(147-8283) .....ea

#06707458, Control–High, 2.5 mL
(147-5579) .....ea

MEDICAL TIP

- *18.8 million people have been diagnosed with diabetes*
- *7.0 million people are undiagnosed*
- *79 million people have pre-diabetes*

Source: ***American Diabetes Association: www.diabetes.org/diabetes-basics/diabetes-statistics***

Bayer HealthCare

A1CNow+® Tests

This handheld monitor provides accurate in-office A1c results, allowing physicians to make on-the-spot treatment decisions for diabetes patients.

- CLIA waived
- In-office testing; no waiting for lab results
- Hands-on procedure time is less than 1 minute
- Simple, 3-step procedure
- No calibration
- No capital equipment required
- Enables A1c testing in every exam room
- Results in just 5 minutes
- No refrigeration necessary if used within 4 months

(430-3504) 10/box

(430-1248) 20/box

CPT® Code: #83037QW†

OSOM® BVBLUE® Test
For *Gardnerella vaginalis*
The only CLIA-waived rapid test for detecting bacterial vaginosis, including gardnerella, bacteroides, prevotella, and mobilincus.
- Instant color change provides clear, easy-to-read results
- Sensitivity: 92.8% vs. Gram stain
- More sensitive and specific than wet mount
- One-minute hands-on time
- CLIA waived

#183, Test
(414-4170) 25/box
CPT® Code: 87905QW†

OSOM® hCG Urine Test
Avoid the mess and hassle of manipulating urine samples while providing the flexibility and reliability your patients deserve.
- CLIA waived
- Dipstick: simple, 1-step procedure
- Fast results: as soon as 1 minute
- 25 mIU/mL sensitivity
- 2-color results
- Room-temperature storage
- More than 99% accurate in clinical studies

#101, Test
(236-2470) 50/box
CPT® Code: 81025†

OSOM® Trichomonas Rapid Test
The only CLIA-waived rapid test for *Trichomonas* infection. Detects antigen directly from vaginal swab.
- More sensitive than wet mount
- Easy-to-run dipstick
- Easy-to-read 2-color results
- Results in 10 minutes or less
- Included in CDC and ACOG guidelines
- Includes QC controls

#181, Test
(406-7631) 25/pkg
#182, Control
(611-1157) .....ea
CPT® Code: 87808QW†

OSOM® hCG Combo Test
Urine/Serum Pregnancy Test
- CLIA waived for urine only
- Easy to read: black-and-white results
- Fast: one step; no reagents
- Sensitive: 10 mIU/mL serum, 20 mIU/mL urine
- Room-temperature storage; 24-month shelf life
- Easy to run

#124, Combo Test
(327-9522).....25/box

#134, Urine Control
(327-6476) .....ea
#138, Serum Control
(611-1052).....ea
CPT® Codes: 81025† (Urine); 84703† (Serum)

OSOM® Card hCG Pregnancy Test
Traditional physician-office hCG test with the added benefit of easy-to-read, two-color results. Add 3 drops of urine and read result.
- Results in as soon as 1 minute
- 25 mIU/mL sensitivity
- More than 99% accurate in clinical studies
- Easy to run: no-drop counting pipette
- CLIA waived

#102, Test
(327-0743).....25/box
CPT® Code: 81025†

1960: the pill

1969: mammography



2006: hpv vaccine



2010: trichomonas rapid test

milestones in women's health

There have been milestones in women's health within the last 50 years which have been truly innovative. The latest addition to this timeline is for the diagnosis of vaginitis. Sekisui Diagnostics offers the latest technology in rapid testing for the detection of Bacterial vaginosis and Trichomoniasis.

The **OSOM® BVBLUE® Test** and **OSOM® Trichomonas Rapid Test** replace antiquated procedures with novel, sensitive, and easy testing. Now, you can test and treat in the same visit thus avoiding serious health complications associated with both conditions. Another milestone in women's health... awesome, yes OSOM®.

For more call 800 332 1042 or visit our website at www.sekisuidiagnostics.com

®2012 Sekisui Diagnostic, LLC. All rights reserved. OSOM® is a registered trademark of Sekisui Diagnostics, LLC.

HENRY SCHEIN®
ONESTEP+ STREP A TEST STRIPS
- CLIA waived
- Room-temperature storage
- Canister packaging for ease of multiple testing
- Walk-away procedure

(107-4050).....25/box
CPT® Code: 87880QW†

HENRY SCHEIN®
ONESTEP+ PREGNANCY STRIP TEST
Rapid, chromatographic immunoassay for the qualitative detection of human chorionic gonadotropin (hCG) in urine to aid in the early detection of pregnancy.
- Urine test
- CLIA waived
- 25 mIU/mL detection level
- Room-temperature storage
- Read time 3 minutes or less

(900-4072).....25/box
Contains: 25 pouched tests per kit & 1 package insert.
CPT® Code: Urine 81025QW†

HENRY SCHEIN®
ONESTEP+ MONO CASSETTE TEST
A rapid chromatographic-immunoassay for the qualitative detection of infectious mononucleosis in whole blood, serum, or plasma.
- CLIA waived
- Finger stick or collection tube
- Room-temperature storage
- Includes controls

Complete Kit
(900-4070).....20/box
Contains: 20 pouched test devices with disposable sample droppers; disposable, heparinized capillary tubes with dispensing bulb; 1 of each control (positive & negative); 1 sample buffer; 1 procedure card & 1 package insert.
CPT® Code: 86308QW†

HENRY SCHEIN®
ONESTEP+ PREGNANCY CASSETTE TESTS
- Urine test
- CLIA waived
- 25 mIU/mL detection level
- Room-temperature storage

25-Patient Kit
(900-4073).....ea $26.49
Contains: 25 pouched tests per kit & 1 package insert.

HENRY SCHEIN®
ONE STEP+ PREGNANCY COMBO CASSETTE TEST
- Urine or serum test
- CLIA waived for urine only
- 25 mIU/mL detection level
- Room-temperature storage

(900-4075).....25/box
CPT® Codes: 81025QW† (Urine) / 84703† (Serum)

100-Patient Kit
(900-4074).....ea
Contains: 100 pouched tests per kit & 1 package insert.
CPT® Code: Urine 81025QW†

Alere™

The #1 Rapid Tests Used in Hospitals and Physician Offices Nationwide[1]

BinaxNOW® Influenza A & B
- Packaged with NP Swab, a CDC preferred specimen type[2]
- Validated for NP Swab, Nasal Swab and Nasal Wash/Aspirate
- Compatible with a dozen common viral transport medias[3]
- Easy Procedure with On Board extraction
- Enclosed card format reduces pathogen exposure
- 24 month shelf life[4]

BinaxNOW® RSV
- Results in 15 minutes with no hands-on time
- Onboard extraction: no extra steps
- Nasopharyngeal swab and nasal wash
- 24 month shelf life[4]

CLIA Waived

Stock up today! Contact your Sales Representative!

alere.com

Rapid Results, Smarter Decisions

1. Data on file 2. CDC website. 3. BinaxNOW Influenza A&B Package Insert 4. From date of manufacture. BinaxNOW and the Alere Logo are trademarks of the Alere group of companies. ©2010 Alere. All rights reserved. 10-LF-0291vB

small package

BIG REVOLUTION

It will change the way you view rapid testing...

Call Henry Schein for more information!

New
BD Veritor™ System

CLIA-waived for Rapid Detection of Flu A+B

BD Helping all people live healthy lives

- **Proven Performance vs PCR —** PCR is currently the highest sensitivity standard available
- **Reproducibility You Can Count On —** Unique Adaptive Read Technology helps reduce false-positive results
- **Results You Can Trust—** Easy-to-read digital display eliminates subjective interpretation
- **Convenient Workflow—** Testing requires minimal hands-on time

Medical technology that captures the trusted answer

www.bd.com/ds/veritorsystem

BD, BD Logo and Veritor are property of Becton, Dickinson and Company ©2011 BD

BD Diagnostics
7 Loveton Circle
Sparks, MD 21152-0999
www.bd.com/ds

Answers… fast, easy and accurate.

Headache, fever, stomach ache and fatigue–likely suspect? Mono. You're about to screen, but then realize that some Mono tests have age restrictions and can't be used on patients under 18 years of age…good thing you have ICON Mono tests from Beckman Coulter!

ICON Mono is a one-step cassette format antibody test that utilizes direct solid-phase immunoassay technology for early qualitative detection of IM heterophile antibodies in whole blood, serum or plasma.

- Simple, fast, accurate, easy-to-use cassette format
- CLIA waived for whole blood–moderately complex for serum/plasma
- **Approved for testing on all ages**

ICON Mono–approved for testing on all ages

Not all Mono tests are the same. For technical or product information on ICON Mono, please contact Tim Durnal at tgdurnal@beckman.com

Beckman Coulter, the stylized logo and ICON are trademarks of Beckman Coulter and are registered with the USPTO.

ICON® 25 Hcg Pregnancy Test

A one-step, rapid, combination serum/urine test designed for the early detection of pregnancy.

- 25 mIU/mL sensitivity, >99% specificity
- 3-minute results for urine, 5-minute results for serum
- Requires just 3 drops of specimen
- CLIA waived for urine

(254-2726) 25/box

ICON® SC Strep A Kits

Easy-to-use cassette with on-board extraction.

- CLIA waived
- Easy-to-read, 5-minute results
- 98% accuracy and sensitivity

(331-6584).....25/box

Contains: 25 test cassettes, sterile rayon swabs, vial of reagent A, vial of reagent B, positive control & negative control.

CPT® Code: 87880QW†

ICON® DS Strep A Kits

Dipstick-format test.

- CLIA waived
- Easy-to-read, 5-minute results
- 98% accuracy and sensitivity

(331-1419).....25/kit

Contains: 25 test strips, extraction reagent A, extraction reagent B, positive control, negative control, extraction tubes & throat swabs.

CPT® Code: 87880QW†

ICON® 20 hCG

A rapid test for detecting hCG qualitatively.

#395097A

(331-0431).....25/box

ICON® Mono Test Kits

- Whole-blood-test waived
- 99.9% relative sensitivity and 98.8% relative specificity of serum/plasma
- 98.3% relative specificity of whole-blood assay

(111-7123) 30/box

Contains: 30 test cassettes, 1 developer solution, 1 of each control (negative & positive), 1 bulb & capillary tubes.

CPT® Code: 86308†

SIEMENS
DCA™ Vantage Analyzer

Point-of-care immunoassay analyzer for diabetes management. Provides precise and accurate quantitative test results for HbA1c in whole blood during a patient's visit to help improve decision making. With a single urine sample, the analyzer also provides quantitative test results for low levels of albumin, creatinine, and A:C ratio in the physician's office or clinic.

#5075US, Analyzer
(110-0743).....ea

#5035C, HbA1c Reagent Kit
(147-8045).....10/pkg

#5068A, Hemoglobin Like Control Kit
(147-6067) .....ea

Contains: 2 vials of ea control: high & low.

#6011A, Microalbumin/Creatinine Reagent Kits

Detects and monitors microalbuminuria, an early indication of kidney disease. Achieve test results in just 7 minutes from a urine specimen, using the DCA™ Vantage Analyzer. Existing DCA analyzers may be updated with a new program card.
(147-8917).....10/pkg
CPT® Codes: 83036QW†/#82043†/#82570†

SIEMENS
DCA Microalbumin/Creatinine Control Kit

#6012A
(147-8477) .....ea

Contains: 2 vials of ea control (high & low) & reconstitution fluid.

SIEMENS
Multistix® 10LS Pro Reagent Strips

More reliable tool for detecting kidney disease. Test for glucose, ketone, high protein, low protein, specific gravity, creatinine, pH, blood, nitrite, and leukocytes.

- Creatinine ratio to correct for varying urine concentrations
- Decreases false positive protein and false negative protein rates
- For over-65 patients and those with diabetes, CVD, or UTI
- Indication of a dilute requires patient to submit specimen, triggering another urine sample
- Automatic identification of strip configuration for Clinitek® 50 users

#1566
(147-8028).....25/btl

#1554
(147-2360).....100/btl

CPT® Codes: 81000†/81001†/81002†/81003†/82570QW†

SIEMENS
CLINITEK® Microalbumin Test Strips

Test for semiquantitative determination of microalbumin/creatinine in urine. Semiquantitative tests for protein (2–4 mg/dl) and creatinine. Includes an A:C ratio result.

- CLIA waived on CT status analyzer
- Dip-and-read test for albumin and creatinine in urine
- Determines an A:C ratio for greatest accuracy
- Use a random urine sample–reduces need for a 24-hour collection
- Timeframe: 60 seconds

#2083
(147-4712).....25/btl

CPT® Codes: 82044†/82570†

Control Strips for urinalysis. 25 positive strips and 25 negative strips.

Take a new look at diabetes care.

Enhanced and improved patient care

Answers for life.

Offer your patients enhanced care:

- HbA1c results in minutes allows adjustment of patient treatment during the office visit
- Immediate results reduce the need of costly and inconvenient patient call-backs and return visits
- NGSP certified HbA1c test with excellent correlation to reference methods ensures confidence in the results
- Easy to perform CLIA-waived HbA1c test can be performed in any clinical setting

SIEMENS

HENRY SCHEIN® BRAND PRODUCTS

HENRY SCHEIN®
ONESTEP+ URINE ANALYSIS READER & URINE STRIP COMBINATION

- CLIA waived
- 10-test urine strip with ascorbic acid monitor pad
- Printed results in minutes eliminate human error
- Includes specific gravity
- EMR compatible
- Printing order of results can be adjusted
- One roll of paper is included **(reorder 900-4163)**

(900-7017) .....ea

Contains: 1 OneStep+ urinalysis reader & 12 bottles of Urispec 11-Way urine strips.

HENRY SCHEIN®
URISPEC™ 4-WAY URINE REAGENT STRIPS

- Protein, nitrite, glucose, and leukocytes
- Ideal for OB/GYN
- Infection, diabetes, and kidney function
- Dip and read in 60 seconds

(107-7157) 100/btl

HENRY SCHEIN®
URISPEC™ 10SG URINE STRIPS

Strips for Visual Read

Tests for glucose, bilirubin, ketone, urobilinogen, specific gravity, blood, pH, protein, nitrites, and leukocytes.

(900-4994) 100/btl

HENRY SCHEIN®
URISPEC™ 11-WAY URINE REAGENT TEST STRIPS

Urine Reagent Test Strips

- Unique "read all" feature at 60 seconds
- Similar to Multistix® 10 SG Plus Ascorbic Acid Test and all brands of 10 SG products
- Glucose, bilirubin, ketone, specific gravity, blood, pH, protein, urobilinogen, nitrite, and leukocytes
- Reader available
- Ascorbic acid pad to ensure uncompromised results
- Room-temperature storage

(102-2285).....100/btl

CPT® Codes: 81000†/81001†/81002†/81003†

HENRY SCHEIN®
URISPEC™ GP+A URINE REAGENT TEST STRIPS

Test for glucose and protein, with an ascorbic acid test for accuracy.

- Protein and glucose
- Ideal for metabolic, kidney, and diabetic monitoring
- Dip and read in 60 seconds

(100-6567) 100/btl

HENRY SCHEIN®
URISPEC™ 5 OB URINE STRIPS

Strips for Visual Read

Tests for glucose, protein, blood, nitrites, and leukocytes.

(900-4995) 100/btl

Call for Availability

HENRY SCHEIN®
URISPEC™ URINALYSIS CONTROLS

For Most Brands of Routine Urine Dip Sticks and Pregnancy Tests

A bilevel product packaged in plastic tubes. Controls are liquid, ready to use, and are designed to validate urinalysis reagent strips and to control confirmatory test reagent tablets. Packaged in plastic dip tubes, they are convenient and easy to use. Long open- and closed-vial stability at 2°C–8°C for up to 90 days allows the user ample time to utilize the product before expiration, resulting in cost savings.

3 Bilevel Sets, 15 mL/Tube (6 Vials)
Dipstick in tube, with open-vial stability of 90 days at 2°C–8°C.
(900-4991).....ea

2 Bilevel Sets, 25 mL/Dropper Bottle (4 Bottles)
Open-vial stability of 18 months at 2°C–8°C.
(900-4992).....ea

HENRY SCHEIN®
URISPEC™ PRO 2 GP URINE STRIPS

Strips for Visual Read

Tests for glucose and protein.

(900-4996) 100/btl

MEDICAL TIP

Urinary tract infections account for 8.1 million visits to health care providers each year. Source: ***National Center for Health Care Statistics: www.cdc.gov/nchs/***

The Number of people in the U.S. with Kidney stones has been increasing over the past 30 years. In the late 1970s less than 4% of the population had stone-forming disease. By 1990, the portion of the population with the disease had increased by 5%.

Source: ***National Institute of Diabetes and Digestive and Kidney Diseases http://kidney.niddk.nih.gov/kudisease/pubs***

Flo-Med™ 1100

Precision Uroflowmetry System by

HENRY SCHEIN® MEDICAL

What is the Flo-Med 1100 by Henry Schein?

It is a simple, non-invasive diagnostic screening device used to calculate the flow rate of urine over time. This aids in diagnosis of bladder and sphincter function as well as prostate conditions.

112-5811 Flo-Med 1100 Uroflometry System
112-5812 Flo-Med Disposables case of 24 sets

- Easy to use (hygienic & convenient)
- Height adjustable
- Battery operated
- Wireless or hardwire capable
- CPT 51741
- Compact/portable
- One-touch technology
- Easy calibration
- PDF can easily be stored into an EHR

System Requirements:
Windows 7, XP, Vista
Hardwire compatible with PCL5 Printer

(112-5811)
Precision Uroflowmetry System, 1 Unit
(112-5812)
Cup & Funnel Disposables

Other accessories such as Laptops and printers are available separately.





Call Your Sales Consultant Today For More Information!

Alere Toxicology

iScreen™ DX Drug Tests

- CLIA waived
- Simple dip-and-read procedure
- Results in minutes
- Laboratory accurate

Single Dip Devices.....25/box

Specify:
#IS AMP-DX,
Amphetamine (AMP).....**(395-0031)**
#IS1 BAR-DX,
Barbiturate (BAR).....**(395-0036)**
#IS1 BZO-DX,
Benzodiazepine (BZO).....**(395-0033)**
#IS1 COC-DX,
Cocaine (COC) .....**(395-0035)**
#IS1 MET-DX,
Methamphetamine (mAMP) .....**(395-0037)**
#IS1 MTD-DX,
Methadone (MTD).....**(395-0038)**
#IS1 OPI-DX,
Opiate (OPI).....**(395-0039)**
#IS1 OXY-DX,
Oxycodone (OXY) .....**(459-0011)**
#IS1 MDM-DX, Ecstasy (MDMA)**(395-0043)**
#DPC-114-DX,
Phencyclidene (PCP).....**(395-0040)**
#IS1 TCA-DX, Tricyclic
Antidepressants (TCA).....**(395-0041)**
#IS1 THC-DX,
Marijuana (THC) .....**(395-0042)**

Medicare/Medicaid CPT® Code: G0431QW†
Private Pay CPT® Code: 80101†

Alere Toxicology

iCassette™

One-Step Drug-Screening Test

- Minimal sample volume required
- 1–11 drug configurations
- Results in about 5 minutes
- 24-month shelf life
- Simple procedure

#I-DOA-2155, 5 Panel, CLIA Waived
(447-2471).....25/box

#I-DOA-3155, 5 Panel, CLIA Waived
(724-9019).....25/box

#1-DOA-1165, 6 Panel, CLIA Waived
(922-8619) 25/box

iCup™ DX Drug Screen Cups

- CLIA waived
- Optional sample validity tests
- Simple process
- All inclusive
- No urine exposure
- Tester activates test when ready
- 5-minute results

I-DXA-1127-0, 12 Panels
Tests for up to 12 drugs: COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR, OXY, MTD, TCA, and MDMA.
(113-2722).....25/box

I-DXA-1107-1, 10 Panels
Tests for up to 10 drugs: COC, THC, OPI, AMP, mAMP, BZO, BAR, OXY, MTD, and MDMA.
(395-0024) 25/box

I-DXA-187-01, 8 Panels
Tests up to 8 drugs: COC, THC, OPI, AMP, mAMP, BZO, OXY, and MTD.
(852-0015) 25/box

I-DXA-167-01, 6 Panels
Tests for up to 6 drugs: COC, THC, OPI, mAMP, BZO, OXY; plus SVT adulteration strips.
(459-0014) 25/box

ID CODE TRANSLATIONS:
AMP: Amphetamine
BAR: Barbiturates
BZO: Benzodiazepines
COC: Cocaine
THC: Marijuana
MTD: Methadone
mAMP: Methamphetamine
MDMA (Ecstasy): Methylenedioxymethamphetamine
OPI: Opiate 2000
OXY: Oxycodone
PCP: Phencyclidine
TCA: Tricyclic Antidepressants

Alere Toxicology

iCassette™ Dx Tests

CLIA waived, easy to use, and screens for 11 drugs on one device.

#I-DCB-1115-011: COC, THC, OPI, AMP, PCP, BZO, BAR, MDMA, PPX, OXY, TCA
(459-0007).....25/box

iCup® AD

All-Inclusive
Drug-Screening Test

- Zero exposure
- Built-in validity test
- 3–13 drug configurations*
- Results can be photocopied
- Collect and read
- 24-month shelf life

#I-DUA-157-013, 5 Panel (CLIA Waived): COC, THC, OPI, AMP, and mAMP
(195-4184) 25/box

#I-DUA-157-023, 5 Panel (CLIA Waived): COC, THC, OPI, AMP, and PCP
(673-2588) 25/box

#I-DUA-157-034, 5 Panel (CLIA Waived): COC, THC, OPI, mAMP, and PCP
(204-9814) 25/box

#I-DUA-167-012, 6-Panel (CLIA Waived): COC, THC, OPI, AMP, mAMP, PCP (OX, SG, PH)
(604-7353) 25/box

#I-DUA-167-022, 6 Panel (Moderate): COC, THC, OPI, AMP, mAMP, and BZO
(104-2333) 25/box

#I-DUA-167-291, 6 Panel: COC, THC, OPI, AMP300, OX4, MDMA (OX, SG, PH)
(874-7298).....25/box

#I-DUD-187-013, 8 Panel (Moderate): COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR (OX, SG, PH, NI, GL, CR)
(303-6739) 25/box

#I-DUE-187-071, 8 Panel: COC, THC, MOP, AMP, mAMP, PCP, BZO, OXY (OX, CR, PH)
(113-5160).....25/box

#I-DUE-1107-141, 10 Panel: COC, THC, OPI, AMP, mAMP, BZO, BAR, OXY, MTD, PPX (OX, CR, PH)
(113-2737).....25/box

#I-DUE-1127-012, 12 Panel (Moderate): COC, THC, OPI, AMP, mAMP, PCP, BZO, BAR, MTD, TCA, OXY, and PPX
(110-5436).....25/box

*Not all configurations are CLIA waived.

MEDICAL TIP

Nearly 7 million Americans are abusing prescription drugs. More than the number who are abusing cocaine, heroin, hallucinogens, Ecstasy, and inhalants, combined. That 7 million was just 3.8 million in 2000, an 80% increase in just 6 years.

Source: ***DEA Prescription Drug Fact Sheet: www.justice.gov/dea/concern/prescription_drug_fact_sheet.html***

InSure® FIT™ Fecal Immunochemical Tests (FIT)

Test provides high sensitivity and ease of use with a simple, water-based collection method designed to be more patient-friendly. The patented brush sampling replaces unpleasant fecal collection or smearing. No dietary or medicinal restrictions, enhanced specificity and sensitivity for more productive colonoscopies. The InSure® FIT™ is based on the immunochemical detection of human hemoglobin (Hb) as an indicator of blood in the stool. The assay uses a monoclonal antibody to capture Hb on a test strip during test development. Since globin does not survive passage through the upper gastrointestinal (GI) tract, the presence of globin in the stool indicates bleeding in the colon or rectum. Clinical studies have demonstrated high sensitivity and specificity of the InSure® FIT™ test in colorectal cancer screening.

- 87% sensitivity for colorectal cancer*
- 98% specificity*
- 66% increase in patient compliance vs. a guaiac-based fecal occult blood test (gFOBT) was found in one study*
- No handling/smearing of dry, solid fecal materials*

**Data on file.*
CPT® Code: 82274QW†

#90030, Combo Kit 25/25
(450-0009).....ea
Contains: 25 test strips, 1–9-mL bottle of run buffer & 25 patient collection kits.

#90035, Combo Kit 25/35
(450-0008).....ea
Contains: 25 test strips, 1–9-mL bottle of run buffer & 35 patient collection kits.

#16800, FOBT Controls
(450-0010).....ea
Contains: 2–1.5-mL bottles, 1 of ea: positive & negative.

#80025, Developer Kit
(450-0011).....ea
Contains: 25 test strips & 1–9-mL bottle of run buffer.

#90010, Patient Collection, 10-Pack
(450-0003).....ea
Each envelope contains: 1–2-day sample card, 2 brushes & specimen collection instructions.

#90025, Patient Collection, 25-Pack
(450-0002).....ea
Each envelope contains: 1–2-day sample card, 2 brushes & specimen collection instructions.

#11018, QC Pack, 50 Test Cards
(450-0012).....ea
Contains: 50–2-day sample test cards.

COMPLIANCE

Are you struggling with patient compliance when it comes to colorectal cancer screening?

InSure® FIT™ boosts compliance[1] with a patented water-based collection method and 2 samples on a single card.

87% sensitivity for colorectal cancer[2,3]

98% specificity[3]

66% increase in patient compliance versus a guaiac-based fecal occult blood test (gFOBT) was found in one study[1]

No handling/smearing of dry, solid fecal material[3]

No dietary or medicinal restrictions[3]

CPT Code* 82274 & Medicare Code G0328

Please visit DiagnosisCAST.com and click on ColonCancerWRAP for information on new advances in colon cancer screening (CME credit available).

Contact your sales representative or go to Insuretest.com for information and to order InSure® FIT™.

1. Cole SR, Young GP, Esterman A, Cadd A, Morcom J. A randomised trial of the impact of new faecal haemoglobin test technologies on population participation in screening for colorectal cancer. J Med Screen 2003;10:117-122. 2. Smith A, Young GP, Cole SR, Bampton P. Comparison of a brush-sampling faecal immunochemical test for hemoglobin with a sensitive guaiac-based faecal occult blood test in detection of colorectal neoplasia. Cancer 2006;107:2152-2159. The study was funded in part by Enterix Inc. (through Enterix Australia Pty. Ltd.), the manufacturer of InSure® FIT™. Enterix is now owned by Quest Diagnostics Incorporated. However, neither Enterix nor Quest Diagnostics participated in the data analysis or influenced the conclusions reached by the authors.
3. InSure® FIT™ Fecal Immunochemical Test Immunoassay for human hemoglobin in stool. Product Instructions. Enterix Inc., Edison, NJ.

Manufactured by Enterix Inc., Edison, NJ 08837 USA, a Quest Diagnostics Company. For more information about InSure® FIT™, please visit www.insuretest.com. Quest, Quest Diagnostics, the associated logos and all associated Quest Diagnostics marks are the trademarks of Quest Diagnostics. Copyright © 2011, Enterix Inc. All rights reserved. InSure® FIT™ is a trademark of Enterix Inc. For in vitro diagnostic use. Printed in U.S.A. Ent08F 03/2011

*The CPT code provided is based on AMA guidelines and is for information purposes only. CPT coding is the sole responsibility of the billing party. Please direct any questions regarding coding to the payor billed.

InSure® FIT™
Fecal Immunochemical Test

Colorectal Cancer Screening That's Easier to Live With

MARCH IS COLORECTAL CANCER AWARENESS MONTH!

HENRY SCHEIN®
ONESTEP™ OCCULT BLOOD SINGLE SLIDES

- Detects hemoglobin through chemical reaction
- Compares to high-sensitivity products
- Room-temperature storage
- 100–2-hole slides and 100 sticks

(147-1246).....100/box

Contains: 100–2-hole slides with both positive & negative on-slide monitors, 100 sticks & developer.

HENRY SCHEIN®
ONESTEP™ OCCULT BLOOD PATIENT MAILERS

Effective and rapid method for detecting occult blood in stool. Aids in diagnosis of asymptomatic gastrointestinal problems such as colorectal cancer, ulcers, polyps, anemia, and diverticulosis.

- Detects hemoglobin through chemical reaction
- Compares to high-sensitivity products
- Room-temperature storage

(147-7182).....50 Kits/box

Contains: 50 triple 2-hole slides, 150 sticks, developer & 50 US postal mailers.

BECKMAN COULTER Primary Care Diagnostics

Hemoccult II® Dispensapak™

100-Patient Kit
(254-5061).....ea

Contains: 100 patient kits, 6–15 mL bottles developer & 1 product instruction.
Kit contains: 1 Hemoccult II triple-test card, 3 applicators & 1 illustrated diet/test instructions.
Barrier mailing pouch may be purchased separately.

BECKMAN COULTER Primary Care Diagnostics

Hemoccult® Single-Test Card

#60151A
(254-9052).....ea

Contains: 100 Hemoccult single-test cards, 2–15-mL bottles of developer, 100 applicators & 1 product instruction manual.

Hemoccult® Tape Dispenser Kit
(254-8235).....2/box

Contains: Hemoccult tape dispenser (100 tests/dispenser), 1–15-mL bottle developer & product instructions.

Hemoccult® Barrier Mailing Pouch

Designed to meet US Postal Service regulations.
(254-6204).....100/box

Hemoccult® Developer

Most clinically proven and widely used FOBT. Trusted for over 30 years.

15-mL Bottle
(254-2360).....ea

BECKMAN COULTER Primary Care Diagnostics

Hemoccult II® SENSA® Dispensapak™ Plus

The fecal occult blood test that provides improved readability versus Hemoccult and other standard FOBT products.

- Easier readability
- Higher clinical sensitivity
- Detects more true positives

#64130A, 40-Patient Kit
(254-4454).....ea

Contains: 40 patient kits, 2–15-mL bottles developer & 1 product instruction manual.
Patient kit: 1 Hemoccult II® SENSA triple-test card, 3 flushable sample collection tissues, 3 applicators, 1 illustrated diet & test instructions, 1 patient pamphlet & 1 Barrier® mailing pouch.

#61200A, Hemoccult II Slides
(224-9819).....102/box

BECKMAN COULTER Primary Care Diagnostics

Hemoccult® SENSA® Single-Test Card

#64151A
(254-3896).....ea

Contains: 100 Hemoccult SENSA single-test cards, 2–15-mL bottles developer, 100 applicators & 1 product instruction manual.

BECKMAN COULTER Primary Care Diagnostics

Hemoccult® SENSA® Developer
(254-8308).....ea

BECKMAN COULTER Primary Care Diagnostics

Hemoccult II® Dispensapak™ Plus

Most clinically proven and widely used FOBT. Trusted for over 30 years.

#61130A, 40-Patient Kit
(254-5748).....ea

Contains: 40 patient kits, 2–15-mL bottles developer & 1 product instruction manual.
Kit contains: 1 Hemoccult II triple-test card, 3 flushable sample collection tissues, 3 applicators, 1 illustrated diet & test instructions, 1 patient pamphlet & 1 Barrier mailing pouch.

BECKMAN COULTER Primary Care Diagnostics

Hemoccult II® SENSA® Elite Dispensapak™

- Easier diet and patient instructions
- Easier sample collection
- Easier processing

(331-2723).....40/box

BECKMAN COULTER
Primary Care Diagnostics

Hemoccult® ICT Tests

Next-generation fecal occult blood test (FOBT) for colorectal cancer screening. Specific for human hemoglobin, this immunochemical test eliminates all diet and drug restrictions. Specific for lower GI bleeding, resulting in fewer false positives and a reduction in unnecessary invasive procedures.

- CLIA waived; easy test procedure
- Screening reimbursement code: G0328QW†

#395065A, Collection Card Set
(834-7610).....100/case

Contains: 100 cards, 100 applicator sticks, physician instructions & sample collection instructions.

#395066A, Screening Kit
(834-3249).....ea

Contains: 1 box of 40 patient screening kits. Each patient screening kit contains: 1 dispensing envelope with patient instructions, 3 Hemoccult ICT collection cards, 3 flushable collection tissues, 3 applicator sticks & 1 mailing pouch.

#395067A, Test Kit
(834-6389).....ea

Contains: 20 test devices & 1–1-mL bottle Hemoccult ICT buffer (to be used with Hemoccult ICT collection cards & patient screening kits).

#395068A, Controls
(834-5620) 4/box

2-Day Patient Screening Kit
(237-0085) 50/box

Contains: 1 dispensing envelope, 2 Hemoccult ICT collection cards, 2 flushable collection tissues, 2 applicator sticks & 1 mailing pouch.

HEMOSURE® iFOB TEST
-Immunochemical Fecal Occult Blood Test (FIT)

Hemosure® iFOB Tests

- Best-value package (792-8076): 40% more collection tubes and home kits
- 5X higher reimbursement (ROI)
- No dietary or drug restrictions
- Specific to human hemoglobin
- Higher patient compliance, due to ease of use
- Easy-to-read results, similar to pregnancy test
- User-friendly and more sanitary
- Complete with home kit
- CLIA waived

#T1-CK10, Complete with Home Kit
(792-5630) 10/box

#T1-CK30, Complete with Home Kit
(792-8076) 30/box

#T1-CK30T, Complete Kit
(108-5284) 30/box

#T1-CK50, Complete Kit
(109-3145).....50/box

Prepacked with Mailers
(109-6530) 20/box

#T1-TC01, Control
(108-1373) .....ea

CPT® Codes: 82274QW†/G0328W†

HENRY SCHEIN®

ONESTEP+ IFOBT OCCULT BLOOD MONOCLONAL ANTIBODY KITS

Innovative kit designed to avoid increased costs caused by noncompliant patients.

- Patient takes home stick and card only (instead of taking home buffer tubes)
- 30-day sample stability (compare to 4–8-day stability)
- Monoclonal; no dietary restrictions
- Clean, in-office sample handling
- Multiple-site accuracy

25-Test Complete Kit
(900-4413) 25/kit

Contains: mailing cards kit, cassettes & buffer tubes.

Cassettes
(900-4414).....10/kit

Contains: 10 cassettes & buffer tubes.

20-Patient Mailer Kits
(900-4416) 20/kit

Contains: sticks, card mailer & instructions.
All-inclusive Test Kit
CPT® Codes: 82274QW†/G0328QW†

Is Malpractice Insurance Giving You A Headache?
Exclusive Benefit for Henry Schein Customers!
Henry Schein Customer Professional Liability Insurance Program
Let the insurance experts ease your pain and put money back in your pocket.
• Discounted Pricing
• Exclusive Markets and Policy Features
• Priority Handling
• Interest Free Payment Options
• Risk Management
Call today and ask about the exclusive "commitment free" analysis!
855.805.5392
www.GallagherMalpractice.com/HenrySchein
Gallagher Healthcare

EXAM TABLE BARRIERS

PRINTS FOR EVERY PATIENT

/ children's prints /

8955646	Cat in the Hat	Smooth	18"x225'	6 rolls/case
8953069	Horton Hears a Who	Smooth	18"x225'	6 rolls/case
8951213	Bugs & Things	Smooth	14"x225'	6 rolls/case
8959545	Bugs & Things	Smooth	18"x225'	6 rolls/case
8950256	Bugs & Things	Smooth	21"x225'	6 rolls/case
4080380	Bugs & Things	Crepe	14"x125'	6 rolls/case
8959124	Bugs & Things	Crepe	18"x125'	6 rolls/case
8956803	Bugs & Things	Crepe	21"x125'	6 rolls/case
8956570	Under the Sea	Smooth	18"x225'	6 rolls/case
8953210	Under the Sea	Crepe	18"x125'	6 rolls/case
8954063	Schooltime	Smooth	18"x225'	6 rolls/case
8957485	Schooltime	Crepe	18"x125'	6 rolls/case
8953228	Raining Cats & Dogs	Crepe	14"x125'	6 rolls/case
8956165	Raining Cats & Dogs	Crepe	21"x125'	6 rolls/case
8952994	Pediatric Combo	Crepe	14"x125'	12 rolls/case
8956718	Pediatric Combo	Crepe	18"x125'	12 rolls/case

Buy 3 Get 1 FREE
Mention Promo Code B9
Kind for Kind
Free goods ship with order
OFFER EXPIRES
4 -10-12

/ adult prints /

8956567	Pastel Vines	Smooth	18"x225'	6 rolls/case
8957817	Pastel Vines	Smooth	21"x225'	6 rolls/case
8954814	Pastel Vines	Crepe	18"x125'	6 rolls/case
8957874	Pastel Vines	Crepe	21"x125'	6 rolls/case
8954618	Watercolors	Smooth	18"x225'	12 rolls/case
8959782	Watercolors	Smooth	21"x225'	12 rolls/case
8956195	Watercolors	Crepe	18"x125'	12 rolls/case
8951493	Watercolors	Crepe	21"x125'	12 rolls/case

Comfort
Confidence
Protection
Fun

For a no charge sample of any TIDI product, call 1.800.521.1314 or visit **www.tidiproducts.com**

TIDI Products, LLC | 570 Enterprise Drive
Neenah, WI 54956
Customer Service 800.521.1314
FAX 800.837.7770 | **www.tidiproducts.com**

TIDI PRODUCTS
Care with Confidence

12MS6114

HENRY SCHEIN®
BRAND PRODUCTS

HENRY SCHEIN®
PREMIUM TABLE PAPER ROLLS
Designed and manufactured to provide strength, protection, and value.

Crepe, 18" x 125'
(100-9865).....12/case

Crepe, 21" x 125'
(100-1657).....12/case

Smooth, 18" x 225'
(100-9491).....12/case

Smooth, 21" x 225'
(100-0177).....12/case

Smooth, Heavy-duty, 14" x 225'
(104-4501).....12/case

Smooth, Heavy-duty, 18" x 225'
(104-6092).....12/case

Smooth, Heavy-duty, 21" x 225'
(104-5273).....12/case

HENRY SCHEIN®
PREMIUM EXAM DRAPES
2-Ply, All-Virgin Tissue
Made from 2-ply tissue to provide soft and strong coverage for most exams. They are designed to blanket the patient in lightweight comfort and are available in an array of colors to enhance office decor.

White, 36" x 48"
(101-3658) 100/case $18.70

White, 40" x 48"
(100-1797).....100/case

Blue, 40" x 48"
(100-3360).....100/case

Mauve, 40" x 48"
(100-6428).....100/case

Peach, 40" x 48"
(100-3845).....100/case

White, 40" x 60"
(101-8521) 100/case

HENRY SCHEIN®
DELUXE PREMIUM EXAM DRAPE
3-Ply, All-Virgin Tissue
Soft, opaque, and heavyweight, this embossed tissue drape with dependable wet strength is ideal for short to moderate exams. It conforms to the body and offers the ultimate in absorbency.

White, 40" x 48"
(101-7084) 100/case

HENRY SCHEIN®
ESSENTIALS TABLE PAPER
Quiet, absorbent barrier. Designed and manufactured to provide strength, protection, and value.

White, Smooth, 225'
18"
(900-4978).....12 rolls/case

21"
(900-4979).....12 rolls/case

White Crepe, 125'
18"
(979-9865).....12 rolls/case

21"
(979-1657).....12 rolls/case

HENRY SCHEIN®
EXAM CAPES
3-Ply Tissue, 30" x 21"

White
(100-8821).....100/case

Blue
(100-2393).....100/case

Mauve
(100-2010).....100/case

HENRY SCHEIN®
EXAM GOWNS
3-Ply Tissue, 30" x 42"
Soft tissue provides patient comfort, while the embossed pattern provides extra strength. Plastic ties attached.

White
(100-4471) 50/case

Blue
(100-4975) 50/case

Mauve
(100-7115).....50/case

HENRY SCHEIN®
PREMIUM GOWNS
Tissue/Poly/Tissue, 30" x 42"
Layer of poly provides strength; layers of tissue absorb moisture. Opens front or back with attached elastic ties.

Gowns.....50/case
Specify:
White .....**(100-2392)**
Blue .....**(100-5728)**
Mauve.....**(100-9652)**

Peach
(100-6999) 50/case

HENRY SCHEIN®
PREMIUM FABRICEL® PILLOWCASE
1-Ply Tissue/Poly
This disposable pillowcase is super soft and strong because it's made from FABRICEL® material. By bonding supple tissue to polyethylene film with a heat-lamination process, a unique material that is soft, strong, and tear resistant is created. This deluxe material prevents soak-through and gives us the most durable pillowcase available.

White, 21" x 30"
(101-2526) 100/case

HENRY SCHEIN®
PILLOWCASE
Tissue/Poly/Tissue
Provides linen-like softness for patient comfort and an inner poly barrier for extra protection. Strong and durable.

White, 21" x 30"
(104-9206).....100/case

HENRY SCHEIN®
CELLUSPUN WASHCLOTH
Nonwoven Material
Dry washcloths made from a strong, durable, and economical AIRLAID material. This absorbent, soft, and versatile washcloth is ideal for incontinence cleanups, bathing, and other patient applications.
- Highly absorbent for maximum efficiency
- Increased comfort due to the soft, thick material

White, 10" x 13"
(900-4279) 500/case
Contains: 25 washcloths per bag, 20 bags per case.

HENRY SCHEIN®
FACIAL TISSUES
Compare to Kleenex®
2-Ply, White, 8" x 8.33"
Soft, absorbent, elegantly embossed white facial tissue. Your patients and employees will notice the softness and quality.
(900-4214) 100/box

RETHINK THE CLINICAL SPACE.

Healthcare and its delivery systems are changing. As we look to the future, there is much to consider in facility design, access, control, comfort, workflow and the caregiver-patient relationship. Growth and change are inevitable – healthcare environments must be flexible to adapt to the integration of new technologies and healthcare protocols.

Midmark can help.

MidmarkClinicalSolutions.com

For more information, contact your Henry Schein Representative, call 1-800-MIDMARK or visit midmark.com.

Midmark Corporation 60 Vista Drive, P.O. Box 286 Versailles, OH 45380-0286
1-800-MIDMARK Fax: 1-800-365-8631 midmark.com

MIDMARK®
Because we care.

12MS6114



HENRY SCHEIN®
TONGUE DEPRESSORS
Highly polished and splinter-free. Designed for oral use or topical application.

- Sterilizable by autoclave, gamma radiation, or EtO: promotes sterility
- White birch has a high tensile strength: resists breakage
- Available in sterile and non-sterile packaging

Depressors.....500/box

Specify:
Non-sterile, Regular 6".....**(100-2416)**
Non-sterile, Junior 5½".....**(100-0758)**

Sterile, Individually Wrapped, Regular
(100-0238) 100/box

HENRY SCHEIN®
DISPOSABLE VAGINAL SPECULA
Recommended for routine gynecological exams.

- Allows examination of vaginal mucosa at a 360° angle without rotation
- Provides wide range of adjustability (angular and elevation adjustments)
- One-handed manipulation for ease of operation
- Self-holding in various opening positions
- Decreases risk of contamination
- If needed, apply lubrication for better comfort during examination
- Made of hard, clear, nontoxic, high-strength plastic resin

Specula.....10/pkg

Specify:
Small .....**(102-5396)**
Medium.....**(102-5397)**
Large .....**(102-9422)**

HENRY SCHEIN®
TOP HAT SPECIMEN COLLECTOR
800 cc
(112-5810).....25/box

BIONIX MEDICAL TECHNOLOGIES
Safe Ear Curettes™
Single-use curettes for every patient or cerumen type. Choose from 7 different tip styles for proper selection for any procedure.

#4888, Blue InfantScope® for Smaller Ears, 2 mm
(120-1511).....50/box
#4111, Purple VersaLoop® Conforms to Ear Canal, 3 mm
(602-8149) 50/box
Curettes.....50/box

Specify:
#9555, White FlexLoop® for Normal Curettage, 4 mm.....**(120-7185)**
#1222, Green MicroLoop® for Tough Cerumen, 3 mm.....**(120-4288)**

WelchAllyn
KleenSpec® 590 Vaginal Specula

- Unique, one-handed angulation and elevation mechanism provides multiple settings with positive locking positions for easy operation
- Operates smoothly throughout all ranges without binding or locking
- Provides superior illumination from its molded-in light carrier that transmits white, brighter halogen light to speculum tip and directly onto cervix
- Provides superior illumination from its molded-in light carrier that transmits white, brighter halogen light to speculum tip and directly onto cervix
- Especially narrow blade width available for adolescent and geriatric patients
- Disposable for economy, safety, and convenience
- Individually wrapped



Specula.....box

Specify:
#59000, Small, 24/box .....**(499-3427)**
#59001, Medium, 24/box.....**(499-7957)**
#59004, Large, 19/box .....**(566-0282)**

THE CONNECTED PRACTICE STARTS WITH Allscripts™



CONNECT NOW, PAY LATER!

180,000 physicians already know the benefits of Allscripts:

- **Reduce billing errors**
- **Receive reimbursements faster**
- **Increase patient bookings**
- **Improve productivity and efficiency**
- **Improve collaboration**
- **Enhance patient outcomes**

1. The Right EHR **2. The Right Guarantee** **3. The Right Price**

Connect now, pay later! **$0 for software for the first 6 months.**
Then, pay for your solution with affordable monthly payments over time.

Contact your Henry Schein Sales Consultant
Phone: **1-800-772-4346**
E-mail: **Allscripts@henryschein.com**
Visit: **www.henryschein.com/allscripts**

HENRY SCHEIN® ConnectHealth℠

A Better Class of Card

Which Rewards Program Will You Choose?

Cashback Rebate Rewards

- Earn 2% **CASH BACK** on qualifying Henry Schein transactions up to $100,000 a year†
- Earn UP TO 2% **CASH BACK** on other qualifying transactions



OR

Maximum Rewards®

- Earn **1.5 POINTS** per $1 in qualifying Henry Schein transactions*
- Earn **1 POINT** per $1 in other qualifying transactions*

- **60-Day Repayment Period Option**
- **Extended Protection Program**
- **No Annual Fee**

The issuer of the card reserves the right to change the credit card account terms should your credit profile change or for other reasons described in the Cardmember Agreement. Cards are issued by First Bankcard, a division of First National Bank of Omaha.

†You will receive 2% cash back on up to $100,000 annually on qualifying Henry Schein transactions and 0.50% on qualifying Henry Schein transactions above $100,000.

*Complete details, including restrictions, limitations and exclusions will be available when you become a Cardmember.

Henry Schein Financial Services is not a bank, does not represent itself as such, and does not conduct banking activities.
©2012 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors.

HENRY SCHEIN® FINANCIAL SERVICES
Business Solutions for Healthcare Practitioners

1-866-398-9296
or
www.henryschein.com/creditcard

HENRY SCHEIN®
LabTeam™
SOLUTIONS FOR CLINICAL LABS

Laboratory Solutions for Measuring Vitamin D in the Lab

Vitamin D Deficiency
In the United States, approximately 77% of adults are either insufficient or deficient in vitamin D, according to the National Health and Nutrition Examination Survey (2001 to 2004).

Vitamin D deficiency has long been associated with bone disease but more recently vitamin D has become a general health indicator as associations with major conditions such as cancer, cardiovascular disease, autoimmune disease, diabetes, and chronic kidney failure have been discovered in epidemiologic, clinical, and observational studies. Knowing the significance of vitamin D testing facilitates informed decision-making and helps health care professionals to maximize the quality of care they provide for their patients.

Vitamin D Toxicity
This typically occurs due to vitamin D over-supplementation and is observed in patients taking more than the prescribed 40,000 IU per day. When vitamin D levels are this high, calcium concentrations rise as well, which can result in nausea, weight loss, and constipation. As a result of increased levels of vitamin D and calcium the patient can develop kidney stones.

Vitamin D Testing
The FDA has cleared the Siemens Healthcare Diagnostics Vitamin D total assay for use on the ADVIA Centaur®/XP Immunoassay Systems. The assay, measures the total level of 25-hydroxyvitamin D in serum and plasma to aid in the assessment of vitamin D sufficiency. Measurement of [25(OH)D], the most widely used indicator of vitamin D status, ensures accurate evaluation of patients for deficiency, sufficiency, or toxicity.

The ADVIA Centaur® XP

SIEMENS
The ADVIA Centaur®/XP Immunoassay System also includes a comprehensive menu including Anemia, Bone Metabolism, Cardiovascular, Fertility, Infectious Disease, Oncology, TDM, and Thyroid

Start Testing
Our experienced and dedicated LabTeam can assist you in accurate diagnosis, including a Financial Analysis.
A Henry Schein Clinical Lab Specialist will evaluate your current testing volume to provide you with a financial analysis that can maximize the return on investment. In addition, our Financial Team can offer solutions to help you acquire the system your practice needs.

Please contact our Henry Schein Clinical Lab Specialists:
Phone: **1-800-428-9200** • E-mail: **labquestions@henryschein.com**

12MS6114

HENRY SCHEIN®
LabTeam™
SOLUTIONS FOR CLINICAL LABS

Laboratory Solutions for Cardiovascular Testing

Heart disease is the leading cause of death in the US and is a major cause of disability. The most common heart disease in the United States is coronary heart disease, which often appears as a heart attack. In 2010, an estimated 785,000 Americans had a new coronary attack, and about 470,000 had a recurrent attack. About every 25 seconds, an American will have a coronary event and about one every minute will die from one.[1]

[1]Reference: www.cdc.gov/features/heartmonth

Maximize opportunities for improved patient care and enhanced revenues by using in-office laboratory testing for:

- Lipid blood tests
- Blood sugar tests
- Enzyme and protein tests
- Blood tests to determine risk of coronary artery disease
- Electrolyte tests
- Coagulation testing and CBC

Henry Schein offers a full line of laboratory solutions. A Clinical Lab Specialist can help upgrade your in-office laboratory with industry-leading solutions such as:

SIEMENS
Dimension® Xpand® Plus
Integrated Chemistry System

HORIBA Medical
Pentra 80XL Hematology

BECKMAN COULTER
Primary Care Diagnostics
AU480/AU680
Chemistry Analyzer

BECKMAN COULTER
Primary Care Diagnostics
LH-500 Hematology

Please contact our Henry Schein Clinical Lab Specialists:
Phone: **1-800-428-9200** • E-mail: **labquestions@henryschein.com**

Welch Allyn

SureTemp® Plus 690 Electronic Thermometer

Combines the speed of ear thermometry with the accuracy and reliability of traditional oral thermometry. Takes fast, 4–6-second oral temperatures, 10-second pediatric axillary and rectal temperatures, and 15-second adult axillary temperatures.

- Accurate to within +/- 0.2°F (0.1°C)
- Interchangeable, removable probe wells to reduce the risk of cross contamination
- Large LCD that can display temperatures in Fahrenheit or Celsius
- Last-temperature recall
- Mode selection and recall buttons
- Four different temperature modes
- Convenient storage for 25 probe covers
- Takes about 6000 readings on 3 AA batteries (included)

Thermometer, with Oral Probe, Well, and 4' Cord
(203-3856) .....ea

Thermometer, with Wall Mount, Oral Probe, Well, and 4' Cord
(178-8374) .....ea

Wall Holder Mount for Thermometer
(206-8985) .....ea

Rectal Probe, Well, and 4' Cord
(741-8045) .....ea

Oral/Axillary Probe, Well, and 4' Cord
(120-2127) .....ea

Oral/Axillary Probe, Well, and 9' Cord
(695-8954) .....ea

Probe Covers
(840-2661) 250/box

Probe Covers
(108-4667) 1000/case

ndd

EasyOne™ Diagnostic Spirometry Systems and Accessories

Calibration Adapter

Easy-to-use spirometer uses patented digital ultrasonic flow measurement technology for fast, accurate, and reliable operation.

- Ultrasonic flow measurement
- Single-patient-use spirette
- Alphanumeric keypad
- Graphic curve display
- Meets ATS 1994 diagnostic standards
- Meets NIOSH, OSHA, and SSD guidelines
- Automated coaching messages and QC
- Automated interpretation
- Stores up to 700 test sessions
- PC data transfer
- Toll-free technical support
- 3-year exchange warranty

Spirometer, with Calibration Adapter and 10 Spirettes
(409-7495) .....ea

Complete System
(409-3035) .....ea

Contains: 1 diagnostic spirometer, 1 calibration, 10 spirettes, 1 cradle & 1 ink-jet printer.

Spirettes
(409-5679) 50/box

(409-3230) 200/box

Screen, with Screen Connector and EasyWare Software
(409-1469) .....ea

Calibration Syringe, 3 Liters
(409-1496) .....ea

Calibration Syringe Adapter
(108-8642) .....ea

MABIS HEALTHCARE INC

Margo Moo™ Compressor Nebulizer

Great for pediatrics, the whimsical, barn-style carrying bag safely totes the compressor and stores all accessories in a fun yet functional way.

Features:

- Particle size range: 0.5 µm to 10 µm
- Maximum pressure: 36 psi
- Compressor flow: 6–8 lpm
- Unit size: 7" x 7¾" x 4½"
- Unit weight: 3.6 lb

(151-0010).....ea

GE Healthcare

Clinically connected. Simply smart.



NEW! CS v6.6 Diagnostic System from GE Healthcare is more than a software program—it is a data acquisition and management solution that transforms a PC into an advanced diagnostic system. So a clinician can easily acquire, analyze, store, and transport resting ECG, exercise stress tests, ambulatory blood pressure, and spirometry measurements.

Clinically precise. Functionally simple. Completely connected to the demands of a practice and the needs of patients. All in a few easy steps.

Connecting hearts and minds.

NEW! CS v6.6 Diagnostic System

imagination at work

©2011 General Electric Company – All rights reserved.
GE Healthcare, a division of General Electric Company.

Disinfecting hard, non-porous surfaces...

is key to the health and welfare of patients, visitors and healthcare workers. Sani-Cloth® brand hard surface disposable wipe formulas accommodate the many situations, equipment and surfaces found in healthcare settings. Sani-Cloth® brand is the number one disinfecting wipe in healthcare.

SANI-CLOTH® AF
GERMICIDAL DISPOSABLE WIPE

- 3 minute kill time[1]

Description	Reorder #
Sani-Cloth® AF XLarge Canister	267-0011
Sani-Cloth® AF Large Canister	267-0012

SUPER SANI-CLOTH®
GERMICIDAL DISPOSABLE WIPE

- 2 minute kill time[1]

Description	Reorder #
Super Sani-Cloth® XLarge Canister	267-0005
Super Sani-Cloth® Large Canister	113-5423

SANI-CLOTH® PLUS
GERMICIDAL DISPOSABLE CLOTH

- 5 minute kill time[1]

Description	Reorder #
Sani-Cloth® Plus XLarge Canister	267-0010
Sani-Cloth® PlusLarge Canister	267-0721

[1] See Technical Data Bulletin for complete list. May contain trace amounts of alcohol (less than 0.016%).

© 2011 Professional Disposables International, Inc. Sani-Cloth® is a registered trademark of Professional Disposables International, Inc. PDI Touchpoints™ is a trademark of Professional Disposables International Inc. 21433

PDI

www.pdipdi.com

Georgia-Pacific
Signature® C-Fold Paper Towels
Premium 2-ply C-fold hand towels. White
(395-0020) 1440/case
Contains: 120 towels per pack, 12 packs per case.

Georgia-Pacific
BigFold Z® Towels
Unique fold allows for reliable, touchless dispensing of 1 fully opened towel. Fits into existing C-fold and multifold dispensers.
11" x 10½"
(107-3132) 2200/case

Georgia-Pacific
Envision® High Capacity Roll Paper Towels
Dependable absorbency, thickness, and strength. Economical 800-foot rolls provide a low per-unit cost, making these towels an affordable choice for high-traffic areas. Fit into a wide range of everyday dispensers.
Brown
6 Rolls per Case
(106-6720) .....ea

Georgia-Pacific
Jumbo Jr. 2-Roll Bathroom Tissue Dispenser
This high-capacity dispenser holds 2 rolls up to 9" in diameter for continuous service. High-impact plastic construction is durable, washable, and stands up to most cleaning agents, ensuring years of cost-saving performance. Stub-roll feature reduces waste by restricting access to the second roll before the main roll is used up. Translucent smoke color.
(115-8321) .....ea

Georgia-Pacific
Acclaim® Jumbo Jr. Bathroom Tissue
Reliably performing Jumbo Jr. bathroom tissue in 1000' 2-ply roll format is an affordable choice for high-traffic areas. This jumbo tissue is replaced less often, reducing maintenance time and maximizing customer satisfaction. White
(395-8757) 8/case

Georgia-Pacific
Preference Toilet Tissue
2-Ply
#18080
(110-6565) .....ea
Contains: 550 sheets per roll.

Georgia-Pacific
SofPull™ Junior Capacity Centerpull Towels
Premium, 1 Ply
Towels, 7.8" x 12", White
(107-8155) .....8 rolls/case
Dispenser, Smoke
(107-7664).....ea

Georgia-Pacific
Sofpull® Centerpull Paper Towels
Soft, absorbent towel dries hands quickly or wipes up large spills and tough messes. For steady traffic areas and extended service intervals. 7.8" x 15" sheets.
Regular Capacity, 320 Sheets per Roll
(107-8156) 6/case
Large Capacity, 560 Sheets per Roll
(115-5261).....4/case


Kimberly-Clark
PROFESSIONAL*
Optimize your Cleaning and Disinfecting Practices with the WETTASK* System.
Easy to Use
• System consists of a dry roll of wipers in a reusable closed bucket or small canister, add the disinfectant of your choice
Safe
• Closed bucket system helps avoid accidental cross-contamination caused by re-dipping of wipers
Efficient and Cost Effective
• Helps control chemical usage and related costs
WETTASK* System
KCP Code | Description | Size W" x L" | Rolls/ Case | Sheets/ Roll
643-0139 | WETTASK* System - Free bucket included with case | 12" x 12.5" | 6 | 90
643-0215 | WETTASK* System - Free small canister included with case | 12" x 12.5" | 12 | 35
®/*Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. Marques déposées de Kimberly-Clark Worldwide, Inc. ou de ses filiales. © 2011 KCWW. K02354 K7690-11-01

HENRY SCHEIN®

EMESIS BASIN

Plastic, kidney shape, 16-oz capacity.

8.5"

(112-5809).....25/box

Medical Action INDUSTRIES INC
Right. From the Beginning.

Emesis Basins

Plastic, Kidney Shape, 16-oz Capacity

Disposable, Turquoise, 8.5"
(103-8402).....ea

Autoclavable, Powder Blue, 8½"
(100-0522).....ea

Disposable, Gold, 8½"
(103-0003).....ea

Disposable, Rose, 10"
(103-9005).....ea

Disposable, Turquoise, 10"
(103-1263).....ea

Gold, 10"
(484-4190).....ea

Push 'N Turn Medicine Vials with Caps

Offers safe but simply designed vials that are made within USP "Tight" specifications. These amber vials have a one-piece push-and-turn cap that meets the child-resistant protocol. Just push down on the cap while turning for easy opening. The cap is securely closed when you hear a snap while turning.

8 Drams
(534-0004).....410/case

13 Drams
(534-0003).....320/case

16 Drams
(534-0005).....270/case

20 Drams
(534-0006).....360/case

30 Drams
(534-0007).....240/case

40 Drams
(534-0008).....180/case

60 Drams
(534-0009).....115/case

Medical Action INDUSTRIES INC
Right. From the Beginning.

Graduated Measuring Container

Triangular design graduated in 25cc and ½-oz increments up to 1000cc and 32 oz. Frosted panel for writing pertinent patient information.

(103-2723).....ea

Dropper Bottles with Plastic Droppers

Amber

No graduations.

½ oz
(100-0006).....12/box

1 oz
(100-0019).....12/box

Medical Action INDUSTRIES INC
Right. From the Beginning.

Urinals with Lids

#H140-01, Male, Disposable, 1 qt, Translucent
(100-4606).....ea

Male, 1 qt, Translucent
(103-4913).....ea

Female, Disposable, 1000cc, Translucent
(917-7208).....ea

Autoclavable, 1 qt, Blue
(103-6047).....ea

Medical Action INDUSTRIES INC
Right. From the Beginning.

Specimen Pan (Nun's Hat)

For Collection and Measurement

1000cc
(103-4626).....ea

Disposable Needles and Syringes

HENRY SCHEIN®
DISPOSABLE NEEDLES

30 ga x 1"
(900-4474).....100/box

30 ga x ½"
(900-4467).....100/box

25 ga x ⅝"
(900-4468).....100/box

25 ga x 1"
(900-4470).....100/box

25 ga x 1½"
(900-4472).....100/box

23 ga x 1"
(900-4473).....100/box

18 ga x 1"
(900-4469).....100/box

18 ga x 1½"
(900-4471).....100/box

HENRY SCHEIN®
BRAND PRODUCTS

HENRY SCHEIN®
SYRINGES WITHOUT NEEDLES

1cc
(900-4480).....100/box

3cc
(900-4475).....100/box

5cc
(900-4477).....100/box

10cc
(900-4476).....100/box

20cc
(900-4478).....50/box

30cc
(900-4481).....50/box

60cc
(900-4479).....50/box

HENRY SCHEIN®
LUER LOCK 3-CC DISPOSABLE SYRINGES WITH NEEDLES

Syringes.....100/box

Specify:
25 ga x ⅝".....**(900-4458)**
25 ga x 1".....**(900-4461)**
23 ga x 1".....**(900-4460)**
21 ga x 1".....**(900-4462)**

HENRY SCHEIN®
CRITERION® N200
Nitrile Powder-Free Exam Gloves.....200/box

NEW

Specify:
X-small.....**(900-7437)**
Small.....**(900-7438)**
Medium.....**(900-7439)**
Large.....**(900-7440)**
X-large (180/box).....**(900-7441)**

HENRY SCHEIN®
CRITERION® PC POWDER-FREE LATEX EXAM GLOVES
Non-sterile, Polymer Coated, White
Textured
• Nonchlorinated
• Certified Protein Claim: None

Sets the standard in quality, powder-free gloves. Nonchlorinated, synthetic polymer coating eases donning. Textured finish for enhanced grip. Excellent tactile sensitivity.

Gloves.....100/box

Specify:
X-small.....**(102-5418)**
Small.....**(102-5419)**
Medium.....**(102-5421)**
Large.....**(102-6730)**
X-large (90/box).....**(102-5422)**

HENRY SCHEIN®
CRITERION® POWDER-FREE NITRILE EXAM GLOVES
Non-sterile, Blue
Fully Textured • Nonchlorinated Gloves.....100/box

Specify:
X-small.....**(111-8533)**
Small.....**(111-8535)**
Medium.....**(111-8536)**
Large.....**(111-8537)**
X-large (90/box).....**(111-8539)**

HENRY SCHEIN®
CRITERION® POWDER-FREE VINYL EXAM GLOVES
Non-sterile

Contains no natural latex, providing an excellent solution for those at risk of latex sensitivities.

Smooth
Gloves.....100/box

Specify:
X-small.....**(102-5721)**
Small.....**(102-6721)**
Medium.....**(102-5338)**
Large.....**(102-7319)**
X-large (90/box).....**(102-5377)**

NEW

GLOVE CLUB®
Tomorrow's Gloves Today!™

NYTRILE™ X200
Nitrile Powder-Free Exam Gloves.....200/box

Contains:
Specify:
X-small.....**(112-5658)**
Small.....**(112-5659)**
Medium.....**(112-5660)**
Large.....**(112-5661)**
X-large (180/box).....**(112-5662)**

GLOVE CLUB®
Tomorrow's Gloves Today!™

CYBER-GEL® Powder-Free Latex Exam Gloves
Non-sterile
Textured • Chlorinated • Certified Protein Claim: None

Gloves.....100/box

Specify:
X-small.....**(103-5123)**
Small.....**(103-5133)**
Medium.....**(103-5165)**
Large.....**(103-5196)**
X-large (100/box).....**(103-5121)**

HENRY SCHEIN®
MAXIWIPE™ GERMICIDAL CLOTHS

Cleans and disinfects common hard, nonporous surfaces. Bactericidal, tuberculocidal, and virucidal. Effective against 13 microorganisms including TB, HBV, MRSA, VRE, and RSV. Contains 55% alcohol. Meets CDC and OSHA regulations.

Large
(106-6794) 160/cont $6.99

X-Large
(112-5305).....65/cont $7.49

HENRY SCHEIN®
MAXISPRAY® PLUS

Hospital-level, general-purpose disinfectant/cleaner proven to kill TB in 5 minutes; and HBV, HIV, and HCV in 3 minutes. It is also EPA-registered as a broad-spectrum disinfectant for both surface and immersion use. Bactericidal, virucidal, tuberculocidal, and fungicidal. Ready to use in cleaning and disinfecting equipment surfaces and noncritical areas.

- Easy, ready-to-use formula: no mixing, measuring, or rinsing required
- Compatible with most medical/dental device material
- Safe to use in neonatal and infant-care areas
- Contains no phenols
- Nontoxic and nonirritating
- Satisfies OSHA's Bloodborne Pathogens Standard

24-oz Trigger-Spray Bottle
(101-4114).....ea $7.49

1-gal Refill
(101-0285).....ea $18.99

HENRY SCHEIN®
FOAMING HAND SANITIZER

Alcohol-free, waterless foaming hand sanitizer. Special formulation contains emollients and a fresh pleasant Mountain Meadow fragrance, leaving hands feeling soft and clean after use, without any stickiness or drying out of the skin. Rinse-free: no water required. Kills 99.9% of the most common disease-causing germs spread by hands. Contains benzalkonium chloride (active ingredient) to kill germs.

- Alcohol-free formulation that is nondrying to the skin
- Kills 99.9% of most common disease-causing germs spread by the hands
- Rinse-free, no water required
- Fresh clean scent and soothing emollients leave hands soft and clean

2-oz Pump Bottle
(900-4445).....ea

18.6-oz Pump Bottle
(900-4444).....ea

HENRY SCHEIN®
HAND SANITIZER

- Alcohol-based waterless hand gel
- Kills 99.9% of most common disease-causing germs spread by the hands
- Rinse-free; no water required
- Fresh clean scent and soothing emollients leave hands soft and clean

8-oz Pump Bottle
(900-4443).....ea

16-oz Pump Bottle
(900-4442).....ea

MEDICAL TIP

*Visit **LearnWell.org** for CE credits on Hand Hygiene Compliance.*

HENRY SCHEIN®
FOAMING ANTIBACTERIAL HAND SOAP

- Luxurious foaming soap
- Provides a rich, dense lather
- Rinses easily using minimal water
- Leaves hands feeling soft and smooth
- Pleasant Spring Water Clean fragrance
- Active ingredient is 0.2% triclosan

18.6-oz Pump Bottle
(900-4441).....ea

HENRY SCHEIN®
QUICK WIPES

Nonallergenic, premoistened, ready-to-use hand towelettes. Pleasant fragrance with lanolin, alcohol, and aloe. Refreshing aid for the office, home, or car. Use for easy, gentle cleansing of hands and face.

- Soft, strong towelettes: allow easy and gentle cleansing of hands and face
- Effective and gentle formulation that contains aloe: formulated for fast drying and gentleness
- Convenient packaging: towelettes easily dispensed through orifice; each towelette is saturated with cleansing liquid

Pop-Up Container, 9" x 5½"
(104-4176).....150/cont

HENRY SCHEIN®
ANTIBACTERIAL LIQUID HAND SOAP

8-oz Pump Bottle
(900-4439).....ea

16-oz Pump Bottle
(900-4438).....ea

1-gal Refill Bottle
(900-4440).....ea

HENRY SCHEIN®
MAXICLENS® ANTIMICROBIAL/ ANTISEPTIC SKIN CLEANSER

Antimicrobial/Antiseptic Skin Cleanser Formulated with detergents, moisturizers, skin protectors, and humectants that cleanse without drying. Fast-acting formula that is proven effective at 15 seconds against a broad spectrum of bacteria. Effective for up to 6 hours after use. Active ingredient: 4% chlorhexidine gluconate.

- Clear, viscous liquid, 4% chlorhexidine gluconate
- Formulated with detergents, moisturizers, skin protectors, and humectants that cleanse without drying
- Fast acting, proven effective at 15 seconds against a broad spectrum of bacteria
- Persistent; effective for up to 6 hours after use; high level residual action

1 Quart
(431-0032).....ea

1 Gallon
(431-0099).....ea

Hand Pump for Quart Bottle
(431-1478).....ea

According to the Centers for Disease Control and Prevention (CDC), cleaning and disinfecting environmental surfaces in healthcare facilities is fundamental in reducing the potential contribution of those surfaces to the incidence of healthcare-associated infections (HAIs). For information see Henry Schein's Infection Prevention Resource Center on the Web at www.henryschein.com/infectioncontrol

HealthLink
A Family of Medical Products

EZ-Kill® Disinfecting/ Deodorizing/ Cleaning Wipes

For use on hard surfaces where control of cross contamination is required. EZ-Kill® Disinfecting Wipes are effective against the following pathogens at room temperature: 2-minute kill time on staphylococcus, pseudomonas, herpes SV2, salmonella, MRSA, VRE and influenza A; 1-minute kill time on HIV-1; 5-minute kill time on tricophyton.

- A nonwoven, disposable cloth
- Absorbs, removes and retains contaminants
- Releases fluid uniformly
- No-hassle threading

6" x 6¾"
(437-7034).....160/cont

10" x 10"
(437-0003).....65/cont

HealthLink
A Family of Medical Products

CitriGuard® II Hospital Disinfectant/ Cleaner

A surface disinfectant, deodorizer, cleaner, and decontaminant. Its patented formula is safe, easy to use, and very effective against pathogenic organisms, including mycobacterium tuberculosis.

- Highly effective quaternary formula
- Non-acid base
- Alcohol-free
- Noncorrosive
- Ready to use—no dilution is necessary
- Citrus scent

1-qt Spray Bottle
(833-2853).....ea

1-gal Refill Bottle
(833-6297).....ea

2-oz Spray Bottle
(297-1071).....24/case

HealthLink
A Family of Medical Products

CitriFoam® Hospital Disinfectant/ Cleaner

- Phenolic-based broad spectrum germicide
- Heavy-duty cleaning power
- Fresh, clean lemon citrus scent
- Thick, rich foam spray
- Can be used almost anywhere
- Economical—broad, circular spray covers areas faster, reducing spraying time per application

20-fl-oz Aerosol Spray Can
(484-3341).....ea

Metrex

CaviWipes™ Disinfecting Towelettes

The only cloths proven to kill TB in 3 minutes and HBV in 2 minutes. These disposable towelettes are presaturated with CaviCide Surface Disinfectant Cleaner. They are recommended for all nonporous surfaces. In canisters.

Large, 6" x 6¾"
(640-2805).....160/cont

X-large-10" x 12"
(640-8482).....66/cont

Flat Pack, 7" x 9"
(640-2566).....45/pkg

Individually Wrapped, X-large, 10" x 12"
(640-2854).....50/box

Wall Mount
(640-2856).....ea

Metrex

CaviCide® Surface Disinfectant

Hospital-level, general-purpose disinfectant and cleaner that is proven to kill TB in 3 minutes; MRSA and hepatitis B and C in 2 minutes. EPA registered as a broad-spectrum disinfectant for both surface and immersion use. Bactericidal, virucidal, tuberculocidal, and fungicidal. Ready to use for cleaning and disinfecting equipment surfaces and noncritical instruments.

2-oz Spray Bottle
(955-3769).....48/case

8-oz Spray Bottle
(618-1109).....12/case

#13-1024, 24-fl-oz Trigger-Spray Bottle
(640-2261).....ea

#13-1000, 1-gal Bottle
(640-0012).....ea

#13-1025, 5-gal Set
(640-5006).....ea

Contains: 2–2½-gal bottles.

SultanHealthcare

Lysol® I.C.™ Brand Foaming Disinfectant Cleaner

Hospital disinfectant effective against HIV-1 (AIDS virus) and poliovirus type 1. Ready-to-use formula cleans and disinfects. Pleasant fragrance.

24-oz Aerosol Spray Can
(358-2719).....ea

19-oz Spray Can
(358-8587).....ea

12½-fl-oz Aerosol Spray, Fresh Scent
(358-3570).....ea

PDI

Sani-Cloth® AF

Alcohol-free, disposable germicidal cloths. Quaternary-based formula with a quick 3-minute contact time for disinfecting hard, nonporous surfaces and equipment. Thick and strong, its distinctive hexagonal-embossed material contains 40% wood-based fibers for a more cloth-like feel. Kills 23 microorganisms, including 5 multidrug-resistant organisms. Alcohol-, bleach-, phenolic-, and fragrance-free. Minimal odor for sensitive healthcare workers and patients. Unique deep-well lids on canisters seal securely to prevent moisture loss.

Canisters

Large–6" x 6¾"
(267-0012).....160 per Canister

X-Large–7½" x 15"
(267-0011).....65 per Canister

Individual Packets

Large–5" x 8"
(267-0013).....50 per Box

X-Large–11½" x 12¾"
(267-0014).....50 per Box

PDI

Sani-Cloth® Bleach Germicidal Disposable Wipes

A 1:10 dilution of sodium hypochlorite for the disinfection of hard, nonporous surfaces and equipment. Bactericidal, fungicidal, tuberculocidal and virucidal, these wipes are effective against 38 microorganisms in 4 minutes or less.

(602-0021).....75/pkg

PDI

Sani-Cloth® Plus Wipes

Germicidal Disposable Cloths

Quaternary/low-alcohol formula (14.85%). One-step cleaner/disinfectant (except for a precleaning step required for blood and body fluids). Bactericidal, tuberculocidal, and virucidal. Unique deep-well lids on canisters seal securely to prevent moisture loss.

#Q89072, Large, 6" x 6¾"
(267-0721).....160/cont

#Q85084, X-large, 8" x 14"
(267-0010).....65/cont

Angle Back Overlap Gown
Poly/Cotton Fashion Sheeting
- 45" Length
- 2½" insleeve
- 63" sweep

Large .....ea

Specify:
#747, Snowflake.....**(327-4282)**
#749, Blue Crystal.....**(630-2244)**
#756, Blue VIP.....**(327-5446)**

Center Back Overlap Gowns

Poly/Cotton Broadcloth
- 45" length
- 6" insleeve
- 55" sweep

Snowflake
(868-0545).....ea

White
Small
(603-7662).....ea

Medium
(603-7661).....ea

Large
(603-7660).....ea

Cloth Patient Gowns
50% Cotton/50% Polyester, 26" x 41"
Blend of cotton and polyester for no-iron, drip-dry convenience. Designed for universal fit, easy-to-slip-on, back-opening style with raglan sleeves for comfort.

With Ties, Blue
(265-4419).....ea

With Ties, Floral Print
(265-4782).....ea

Magna Cloth Gown
Poly/Cotton Fashion Sheeting
- Fits patients up to 10XL
- Full overlap at neck, angle back overlap at waist
- No tie at waist allows gown to hang properly on different size patients while ensuring complete patient modesty
- 50" length
- 6" spacious insleeve
- 104" sweep for complete coverage

Magna Gowns
Diamonds in the Rough
(327-0733).....ea

Tan Retro
(113-4029).....ea

Comfor-Treds®
Adult Sizes
- Tread design allows for maximum gripping traction to help elminate patient falls, ultimate stretch, and greater patient comfort
- Tread won't crack, peel, or chip
- Knit cuff helps prevent slipper from falling down
- Constructed of plush terry cloth
- Color selection appealing to both men and women

Large, Beige
(533-4798).....48/case

X-large, Gray
(533-1125).....48/case

XX-large, Green
(806-5079).....1 pair

COVIDIEN
positive results for life

Protective Smocks
Designed for general use, these smocks are lightweight, breathable and made of a low-linting fabric. They have long sleeves and knit cuffs. Latex-free.
Smocks 24/case

Specify:
#932819, Multicolor, Small.....**(666-6900)**
#932822, Multicolor, Medium.....**(666-8956)**
#932825, Multicolor, Large.....**(666-7039)**
#932879, Teal, Small.....**(666-4056)**
#932882, Teal, Medium.....**(666-7983)**
#932885, Teal, Large .....**(666-5318)**
#932886, Teal, X-large.....**(666-9029)**

MÖLNLYCKE HEALTH CARE

BARRIER® Warm-Up Jackets
Soft, linen-like fabric with knit collar and cuffs, large front pockets, and secure snap closure. Disposable and fluid repellent.
Medium.....12/bag

Specify:
Teal.....**(555-8264)**
Blue.....**(555-0077)**

Large.....12/bag

Specify:
Teal.....**(555-3337)**
Blue.....**(555-0072)**

X-Large.....12/bag

Specify:
Teal.....**(555-9025)**
Blue.....**(555-0071)**

XX-Large.....12/bag

Specify:
Teal.....**(555-7189)**
Blue.....**(555-0073)**

MÖLNLYCKE HEALTH CARE

BARRIER® Extra Protection Jackets
Longer length for full body coverage. Designed to cover lap area when wearer is seated. Side slits, jersey-style sleeves, and knit collar and cuffs. Fluid repellent.

Medium
(555-6954).....12/pkg

Large
(555-4688).....12/pkg

X-large
(555-4299).....12/pkg

2XL
(555-0483).....12/pkg

Integra™ Miltex®

Phlebectomy Hooks and Extractors

Limit uncertainty with precise contol and exceptional performance.

Phlebectomy extractors and hooks are used in office-based procedures for treating and removing problematic varicose veins through micro incisions.

Available in five popular patterns:

• Varady	116-8344	Extractor Phlebectomy 2.8mm
• Mueller-Style*	953-4020	Phlebectomy Hook 5"
• Oesch-Style*	116-5065	Phlebectomy Hook Right Size 2
• Ramelet*	953-4035	Phlectomy Hook Right 4"
• Crochet	953-4063	Phlectomy Hook 6"

**Available in right and left handed patterns.*

Call for Pricing!

Integra™ Miltex®

A New CryoSurgery Solution

Integra Miltex CryoSolutions™ is an innovative yet simple device for delivery of high performance liquefied Nitrous Oxide which allows the clinician to pinpoint the treatment site for rapid freezing and efficacious destruction of unwanted tissue.

Features	Benefits
Lightweight and portable with pinpoint accuracy	Lesions are precisely targeted
Nitrous oxide will not evaporate from cartridge	Always ready to use
Glass tips	Fully autoclavable
Rapid freezing (-127°F) controlled dispensing temperature	Controlled dispensing temperature reduces treatment time and patient discomfort
A low $1.50 cost per patient application	Compared to the higher cost of chemical agents
Complete 3 year guarantee	If anything goes wrong with your CryoSolutions unit, we will repair or replace at no charge

953-3866	Miltex CryoSolutions
116-0279	CryoSolutions Cartridges 4/Pk
116-0277	CryoSolutions Cartridges 10/Pk

Call for Pricing!

INTEGRA™
LIMIT UNCERTAINTY



For more information or to place an order, please contact Schein Medical or Integra Miltex.
Integra York PA, Inc. ■ 589 Davies Drive, York, PA 17402
866-854-8300 USA ■ 866-854-8400 fax
integralife.com/integra-miltex

Illustrations and content provide general description only and may be subject to change. Integra and the Integra logo are trademarks of, and Miltex and Padgett are registered trademarks of, Integra LifeSciences Corporation or its subsidiaries.Copyright © 2011 Integra LifeSciences Corporation
Schein Medical AMA Formulary Q311 MPM0656/ PM 11031

COVIDIEN

positive results for life™

MONOSOF NYLON

Item #	Item Description	Size	Strength	Manuf Part Number
(294-6587)	Suture Monosof Nylon Blk P13	12/Bx	5-0 18"	SN5698G
(294-3102)	Suture Monosof Nylon Blk P13	12/Bx	6-0 18"	SN5696G
(294-6481)	Suture Monosof Nylon Blk P13	12/Bx	4-0 18"	SN5699G
(294-3875)	Suture Monosof Nylon Blk C13	12/Bx	4-0 18"	SN662G
(840-4613)	Suture Monosof Nylon Blk P12	12/Bx	4-0 18"	SN5667G
(294-2602)	Suture Monosof Nylon Blk P10	12/Bx	6-0 18"	SN3697
(294-7154)	Suture Monosof Nylon Blk P12	36/Bx	4-0 18"	SN5667
(294-2124)	Suture Monosof Nylon Blk C14	12/Bx	3-0 18"	SN663G
(294-7763)	Suture Monosof Nylon Blk C13	12/Bx	5-0 18"	SN661G
(294-1841)	Suture Monosof Nylon Blk P12	12/Bx	5-0 18"	SN5666G

BIOSYN & MAXON MONO

Item #	Item Description	Size	Strength	Manuf Part Number
(294-1869)	Suture Biosyn Mono Ud P12	12/Bx	4-0 18"	SM5627
(324-4302)	Suture Maxon Mono Clr P13	36/Bx	5-0 18"	SMM5526
(790-2509)	Suture Maxon Mono Clr P12	36/Bx	3-0 18"	SMM5044
(294-8649)	Suture Biosyn Mono Ud P12	12/Bx	3-0 18"	SM5628
(294-6635)	Suture Maxon Mono Clr P12	36/Bx	4-0 18"	SMM5043

POLYSORB UNDYED

Item #	Item Description	Size	Strength	Manuf Part Number
(110-3138)	Suture Polysorb Undyed P-13	12/Bx	4-0 18"	SL5691G
(294-2347)	Suture Polysorb Undyed P-13	12/Bx	5-0 18"	SL5687G
(294-2717)	Suture Polysorb Undyed P-12	12/Bx	4-0 18"	SL5627G
(606-6478)	Suture Polysorb Undyed P-12	12/Bx	3-0 18"	SL5628G
(294-8791)	Suture Polysorb Undyed C-13	36/Bx	4-0 30"	SL691
(104-4035)	Suture Polysorb Undyed P-13	36/Bx	4-0 18"	SL5690
(603-7848)	Suture Polysorb Undyed P-13	36/Bx	5-0 18"	SL5687
(634-6897)	Suture Polysorb Undyed C-13	36/Bx	3-0 30"	SL822
(294-4713)	Suture Polysorb Undyed P-12	36/Bx	4-0 18"	SL5627

SURGIPRO

Item #	Item Description	Size	Strength	Manuf Part Number
(159-5074)	Suture Srgpr2 Mono Blu P13	12/Bx	5-0 18"	SP5698G
(294-8859)	Suture Srgpr2 Mono Blu P13	12/Bx	6-0 18"	SP5695G
(294-7805)	Suture Srgpr2 Mono Blu P13	12/Bx	4-0 18"	SP5699G
(294-5366)	Suture Srgpr2 Mono Blu P12	12/Bx	4-0 18"	SP5682G
(294-9863)	Suture Surgipro Mono Blu C13	12/Bx	4-0 18"	SP683G

Baxter

CONTINU-FLO Solution Sets–10 Drops/mL
(600-2997) 48/case

0.9% Sodium Chloride Irrigation, USP
Sterile Container System
For use only in slush preparation for regional hypothermia.
1000 mL
(153-9404) 6/case

B|BRAUN +McGaw

Gravity IV Administration Set with ULTRASITE® Injection Site
Universal spike, ULTRASITE valve injection sites 12" and 87" above distal end, roller clamp, slide clamp, and SPIN-LOCK® connector. DEHP-free and latex-free. Priming volume: 20 mL. Length: 104".
#352049, Nonvented
(840-3402).....ea

Baxter

0.9% Sodium Chloride Irrigation, USP
IV Solutions, in Plastic Bags
#2B1322Q, 250 mL
(153-7468) .....ea
#2B1309, in VIAFLEX Plastic, 16-Pack, 100 mL
(153-0731).....16/box

B|BRAUN

0.9% Sodium Chloride IV Solutions
Excel® DEHP-Free, PVC-Free, and Latex-Free Containers
#L8002, 250-mL Bag
(507-8002) .....ea
#L8001, 500-mL Bag
(100-4737).....ea
#L8000, 1000-mL Bag
(100-2808).....ea
#S8004-5384, 50-mL Fill/100 mL
(507-4046) .....ea
#S8004-5264, 100-mL Fill/150 mL
(507-2187) .....ea

MEDICAL TIP

Infection Control

• EPA-registered disinfectants have contact times of one to three minutes. By law, users must follow all applicable label instructions for EPA-registered products.

Source: ***www.CDC.gov***

•The effective use of disinfectants is part of a multi-barrier strategy to prevent health-care–associated infections.

Source: ***www.CDC.gov***



BD

BD™ Saf-T-Intima™ Closed IV Catheter Systems
Y Adapter and Needle Shield
Combines needlestick safety with a closed-system design. The result is a virtually bloodless procedure and greater safety for practitioner, all from the first and only closed IV catheter system available for vascular access. Made from clinically proven BD Vialon™ biomaterial with wings.
"Y" Adapter and Needle Shield, 24 ga x ¾" (0.7mm x 19mm)
(987-7203) .....ea
Systems
#383323, with Y-Adapter, Blue, 22 ga x ¾" (0.9mm x 19mm)
(987-0950).....25/box



BD

BD Insyte™ Autoguard™ Shielded IV Catheters
#381412, Yellow, 24 ga x 0.75" (0.7 mm x 19 mm)
(840-3491).....ea
#381423, Blue, 22 ga x 1" (0.9 mm x 25 mm)
(987-5015).....ea

Bard Access Systems MiniLoc™ Safety Infusion Set
- Built-in safety mechanism
- Smooth, light lockout
- Ergonomic, integral wing design
- Audible "click," tactile feel, and visual indication of lockout
- Needle forward design

#S02020-75, 20 ga x ¾"
(600-6996) 20/case

Excelsior Prefilled Saline Catheter Syringes
These syringes provide the health care practitioner with a safe and effective alternative to manually drawing from multidose vials or manually filling flush syringes.
0.9%, 10 mL
(231-8865).....100/box

B|BRAUN

ULTRASITE® Valve Needle-Free System
For aspiration, injection, or gravity flow of fluid upon insertion of a male Luer fitting. DEHP-free and latex-free. Priming volume: 0.35 mL.
#CSU100
(840-3574) .....ea

Bard Access Systems LiftLoc® Safety Infusion Set
- Built in safety mechanism
- Conforms to current technique
- Low profile, non-coring Huber needle
- Easy-to-use
- Minimizes damage to port septum
- Pre-attached needleless access port

#S01020-75, 20 g x ¾"
(938-8015).....20/case

There's a
really big
skin care story
behind these teeny tiny holes.
Introducing the 3M™ Microchannel Skin System
Now there's a simple method for skin pretreatment with minimal pain for patients. The 3M™ Microchannel Skin System has been found to be safe, well tolerated and easy to use by a recent clinical study.* Simply press the sterile microneedle patch against a treatment area to create hundreds of microchannels in the skin. Available exclusively through Henry Schein.
Visit henryschein.com/microchannel to order or request a complimentary sample.
*Data on file.
Each patch consists of 351 microneedles per 1 cm² of surface area.
Distributed exclusively by
HENRY SCHEIN®
MEDICAL
Henry Schein # | Description | Size
7770457 | Microchannel Patient Pack | 5 Patches, 1 Handle
7770460 | Microchannel Office Pack | 25 Patches, 5 Handles
7770461 | Microchannel Handle Pack | 5 Handles
3M is a trademark of 3M. © 2012, 3M. All rights reserved.
3M

Ask the Experts: Guidelines for the use of Fecal Occult Blood Test (FOBT)

Send in your practice-related questions to our panel of Team Schein experts at Xchange.editor@henryschein.com

Q. ***How effective is colorectal screening in the early diagnosis and treatment of colorectal cancer?*** Dr. M.G. Minneapolis, MN

A. Colorectal Cancer is the 3rd leading cause of deaths among men and women in the US[1]. In 2008, the American Cancer Society (ACS) updated their guidelines for colorectal cancer screening and included are guidelines for the use of Fecal Occult Blood Tests (FOBT's)[2]. The use of FOBT's is an effective screening method which has shown to decrease colorectal cancer mortality. The accuracy of FOBT's is highly dependent on how the test is used but many physicians still perform in-office FOBT's for screening despite the evidence supporting the ineffectiveness[1]. In an effort to decrease the improper usage of FOBT screening, both the American Medical Association "AMA" and the Centers for Medicare and the Medicaid Services implemented coding changes to discourage the use of in-office testing[3].

A single stool sample test from a digital rectal exam is highly inaccurate and not recommended for screening in the guidelines. This inefficient and ineffective practice undermines the value of colorectal cancer screening with FOBT. According to a comparison study, a single Digital Rectal Fecal Occult Blood Test had sensitivity for advanced neoplasia of 4.9%[4]. In fact, it states, *"that single digital FOBT is a poor screening method for colorectal neoplasia and cannot be recommended as the only test. When digital FOBT is performed as part of a primary care physical examination, negative results do not decrease the odds of advanced neoplasia. Persons with these results should be offered at-home 6-sample FOBT or another type of screening test"*[4].

It appears that primary care providers are using the FOBT as their primary screening test and may be utilizing it as an office-based test. There are several reasons the test is done in the office, including convenience and compliance. The physician may not receive the test back once the patient leaves the office to take the test at home. It only seems logical to perform the test while the patient is in the office. However, a negative result on a digital rectal exam utilizing a Fecal Occult Blood Test can provide false reassurance to both patients and physicians, with only a 4.9% sensitivity for advanced neoplasia.[4] Physicians should not rely on FOBT performed on a single sample stool for colorectal cancer screening.

Are these statistics acceptable? Could this be one of the contributing factors that Colorectal Cancer struck almost 150,000 Americans in 2010 and took the lives of over 50,000 people (Estimated)[5]. When diagnosed in an early, localized stage, there is a five year survival rate of 90%: however only 39% of cases are diagnosed at this stage[1].

The American College of Gastroenterology (ACG) recommends colonoscopy as the primary colorectal cancer prevention test and annual Fecal Immunochemical Test (FIT) as the primary colorectal cancer detection test[6].

According to the ACS, beginning at age 50, both men and women should follow one of these testing schedules:

- Flexible sigmoidoscopy every 5 years*, or • Colonoscopy every 10 years, or • Double-contrast barium enema every 5 years*, or • CT colongraphy
- Yearly fecal occult blood test (gFOBT)**, or • Yearly fecal immunochemical test (FIT) every year**, or • Stool DNA test (sDNA), interval uncertain**

**If the test is positive, a colonoscopy should be done. **The multiple stool take-home tests should be used. One test done by the doctor in the office is not adequate. A colonoscopy should be done if the test is positive.*

Guaiac and FIT's are commonly used in most practices. FIT's do not require dietary or medicinal restrictions, minimizing the likelihood of false positives compared to Guaiac tests. Multiple stool samples from consecutive bowel movements are recommended to minimize the possibility of missing blood in the stool, as cancers and precancerous polyps bleed intermittently and not all the time[5]. Therefore, digital rectal exams or one-time testing would make a poor choice. Research has shown that this type of stool exam will miss more than 90% of colon abnormalities including most cancers[4]. Of course, the best test is the one that is done, so choose a test that your patients will comply with.

[1] *American Cancer Society. Cancer Prevention & Early Detection Facts & Figures 2011.* Atlanta: American Cancer Society; 2011. [2] Levin B, Lieberman DA, McFarland, et al. *Screening and Surveillance for the Early Detection of Colorectal Cancer and Adenomatous Polyps*, 2008: A Joint Guideline from the American Cancer Society, the US Multi-Society Task Force on Colorectal Cancer, and the American College of Radiology. *CA Cancer J Clin*. 2008;58. [3] FOBT CPT code 88270 and G0107 states that it is intended specifically for CRC screening as a take home test. [4] Accuracy of Screening for Fecal Occult Blood on a Single Stool Sample Obtained by Digital Rectal Examination: A Comparison with Recommended Sampling Practice – Collins J F, Liberman D A, Durbin T E, Weiss D G and the Veteran Affairs Cooperative Study # 380 Group – *Ann Intern Med* – 2005; 142 (2): 81 – 85[5] Colditz G, Atwood K, Emmons K, et al. For the Risk Index Working Group, Harvard Center for Cancer Prevention. Harvard Report on Cancer Prevention Volume 4: Harvard Cancer Risk Index. *Cancer Causes Control*. 2000;11(6):477-488[6] Rex, D, Johnson, D, Anderson, J, Schoenfeld, P, Burke, C & Inadomi, *J.American College of Gastroenterology Guidelines for Colorectal Cancer Screening 2008*. 24 February 2009; doi: 10.1038/ajg.2009.104

3M™ Tegaderm™ Transparent Dressings

#1626W, 4" x 4¾"
(777-9551).....50/box

#1628, 6" x 8"
(777-1556).....10/box

Easy Application Frame Style
#9505W, 2⅜" x 2¾"
(777-6660).....20/box

Easy Application Frame Style
#1624W, 2⅜" x 2¾"
(777-9152).....100/box

Easy Application Frame Style
#9506W, 4" x 4¾"
(777-1180).....10/box

#1627, 4" x 10"
(777-2028).....20/box

Easy Application Frame Style
#1629, 8" x 12"
(777-3428).....10/box

First Aid Style
#1620, 2⅜" x 2¾"
(777-6528).....100/box

Frame Style with Border
4" x 4¾"
(777-5484).....50/box

#1622W, 1¾" x 1¾"
(777-9319).....100/box

3M™ Tegaderm™ CHG Chlorhexidine Gluconate IV Securement Dressing

The Tegaderm™ CHG Dressing consists of a transparent adhesive dressing and an integrated gel pad containing chlorhexidine gluconate (CHG), a well-known antiseptic agent. Used to cover and protect catheter sites and to secure devices to skin, it also provides continuous antimicrobial activity at the IV site.

2¾" x 3⅜" (7cm x 8.5cm)
(777-0356).....100/case

4" x 4¾" (10cm x 12cm)
(777-0357).....100/case

3½" x 4½" (8.5cm x 11.5cm)
(777-0301).....25/box

4" x 6⅛" (10cm x 15.5cm)
(114-7418) 100/case

Reston™ Self-Adhering Foam Products

Light Support Roll, 4" x 196" x 3/16" Thick
(777-9624) .....ea

Medium Support Pad, 7⅞" x 11¾" x 7/16" Thick
(777-5068).....10/pkg

High Support Pad, 7⅞" x 11¾" x 15/16" Thick
(777-6156).....5/pkg

Tegasorb® Hydrocolloid Thin Dressings

- Thin, absorbent, and highly comfortable
- Film border on oval sizes seals to prevent premature dressing failure due to edge lift
- May be used on intact skin to protect from friction
- Protects from contaminants, body fluids, bacteria, and viruses*

*In vitro testing shows that the transparent film dressing provides a viral barrier from viruses 27 nm in diameter or larger while the dressing remains intact without leakage.

#90021, 2¾" x 3½"
(370-7446).....10/box

#90022, 4" x 4"
(777-3769).....5/box

3M™ Tegaderm™ Transparent Film Dressing

Frame Style with Border
#1614, 2⅜" x 2¾"
(427-6672).....100/box

Henry Schein has all your casting products covered

HENRY SCHEIN®
FIBERGLASS CASTING TAPE

2".....10 rolls/box
Specify:
White .....**(900-4635)**
Blue .....**(900-4638)**
Black.....**(900-4641)**
Pink.....**(900-4644)**
Red .....**(900-4646)**
Purple .....**(900-4648)**
Green.....**(900-4650)**

3".....10 rolls/box
Specify:
White .....**(900-4636)**
Blue .....**(900-4639)**
Black.....**(900-4642)**
Pink.....**(900-4645)**
Red .....**(900-4647)**
Purple .....**(900-4649)**
Green.....**(900-4651)**

4".....10 rolls/box
Specify:
White .....**(900-4637)**
Blue .....**(900-4640)**
Black.....**(900-4643)**
Pink.....**(900-7002)**
Purple .....**(900-7003)**
Green.....**(900-7004)**

5", White
(900-7005) ..10 rolls/box

HENRY SCHEIN®
SYNTHETIC CAST PADDING
Non-Sterile,
4-yd Rolls

2"
(900-4997)...24 rolls/bag

3"
(900-4998)...12 rolls/bag

4"
(900-4999)...12 rolls/bag

6"
(900-7001).....6 rolls/bag

HENRY SCHEIN®
SYNTHETIC STOCKINETTES
Non-Sterile, 25-yd Rolls

2"
(112-5513).....ea

3"
(112-5514).....ea

4"
(112-5515).....ea

6"
(112-5516).....ea

HENRY SCHEIN®
COTTON CAST PADDING
Non-Sterile, 4-yd Rolls

2"
(900-7023) 24/bag

3"
(900-7024) 12/Bag

4"
(900-7025) 12/bag

6"
(900-7026) 6/bag

HENRY SCHEIN®
BRAND PRODUCTS

BUY 3, GET 1 FREE!
OFFER GOOD THROUGH 4/10/12
MENTION PROMO CODE B9
ANGRY BIRDS
ADHESIVE BANDAGES
HENRY SCHEIN®
ITEM NO. 1660231 • 100CT / 12 BOXES/CASE
LATEX FREE • STERILE
3/4 IN. X 3 IN. (19MM X 76MM)
careband®
ANGRY BIRDS IS A REGISTERED TRADEMARK OF ROVIO ENTERTAINMENT LTD. ALL RIGHTS RESERVED. COPYRIGHT ©2009-2011 ROVIO ENTERTAINMENT LTD. ALL RIGHTS RESERVED.

HENRY SCHEIN SEAL OF EXCELLENCE

HENRY SCHEIN®
PREMIUM ALL-GAUZE SPONGES
Non-sterile
8 Ply, 2" x 2"
(104-8197).....200/pkg
8 Ply, 4" x 4"
(104-8194).....200/pkg
12 Ply, 2" x 2"
(104-8588) 200/pkg
12 Ply, 3" x 3"
(104-8195).....200/pkg
12 Ply, 4" x 4"
(104-8198).....200/pkg

PREMIUM ALL-GAUZE SPONGES
Sterile 2's, USP Type VII
Deep, in-folded edges minimize loose threads to help prevent infection.
8 Ply, 2" x 2"
(101-4947) 100/pkg
Contains: 2 sponges per envelope, 50 envelopes per package.
8 Ply, 4" x 4"
(101-5519).....50/pkg
Contains: 2 sponges per envelope, 25 envelopes per package.
12 Ply, 3" x 3"
(101-1768) 80/pkg
Contains: 2 sponges per envelope, 40 envelopes per package.
12 Ply, 4" x 4"
(101-0005).....50/pkg
Contains: 2 sponges per envelope, 25 envelopes per package.

HENRY SCHEIN®
ALL-GAUZE SPONGES
100% Woven Cotton, Non-sterile
8 Ply, 2" x 2"
(100-2524) 200/pkg
8 Ply, 3" x 3"
(100-6458) 200/pkg
8 Ply, 4" x 4"
(100-5952) 200/pkg
12 Ply, 2" x 2"
(100-1570) 200/pkg
12 Ply, 3" x 3"
(100-5004) 200/pkg
12 Ply, 4" x 4"
(100-1444) 200/pkg

HENRY SCHEIN®
NON-WOVEN COTTON SPONGES
Non-sterile, 4 Ply
Highly absorbent 100% cotton. Packaged in a see-through bag with a convenient sterilization indicator.
2" x 2"
(100-1090).....100/pkg
3" x 3"
(100-3835) 100/pkg
4" x 4"
(100-4420) 100/pkg

HENRY SCHEIN®
FLEXIBLE FABRIC ELASTIC STRIPS
Stretch and conform to permit free movement. Will not stick to wound.
¾" x 3"
(900-4499) 100/box
1" x 3"
(900-4500).....100/box
Knuckle,
(900-4496) 100/box

HENRY SCHEIN®
SHEER STRIPS
Sterile
Individually wrapped adhesive bandages for the protection of minor cuts, punctures, and abrasions. Highly absorbent pads won't stick to wound. Air vents let air in and keep moisture out.
¾" x 3"
(900-4503) 100/box
Single Box
1" x 3"
(900-4504) 100/box
Sterile, ⅞"
(900-4505) 100/box
Professional Tray Pack, ¾" x 3"
(900-4501).....1500/case
Professional Tray Pack, 1" x 3"
(900-4502) 1500/case $25.99

NEW from Henry Schein

SENSACARE® HOT & COLD HERBAL PACKS

The new generation of hot and cold therapy.

Sensacare products are a wonderful natural alternative to electric heating pads and synthetic hot and cold applications. Filled with a proprietary blend of 100% natural herbs and grains, Sensacare products combine the benefits of hot and cold therapy with soothing aroma for a natural approach to relaxation and pain relief.

100% Natural Ingredients

SHOULDER WRAP
HSI #: 576-0002
CASE QTY: 6
PRICE PER CASE: $139.99

BACK/ABDOMEN WRAP
HSI #: 576-0001
CASE QTY: 6
PRICE PER CASE: $119.99

UNIVERSAL PACK
HSI #: 576-0003
CASE QTY: 6
PRICE PER CASE: $93.99

"BOTTLE" PACK
HSI #: 576-0000
CASE QTY: 6
PRICE PER CASE: $59.99

NATURE CREATION®

To order: call 1-800-772-4346; fax 1-800-329-9109; or visit us at www.henryschein.com/medical

LEAN ON DRIVE MEDICAL FOR ALL YOUR CRUTCH NEEDS

EZ Adjust Aluminum Crutches
- Euro-style clips and push-pin adjustment make it easy to adjust hand grip
- Lighter than wood, the aluminum crutch provides stability and durability
- Nonskid, jumbo-size vinyl contoured tips provide excellent traction
- Comfortable, durable underarm pad and hand grip

Crutches .....pair

Specify:
Youth, 4'6"–5'2" ..... **(803-0014)**
Adult, 5'2"–5'10" ..... **(803-0012)**
Tall Adult, 5'10"–6'6" ..... **(803-0033)**

Crutch Tips
¾", Grey
(803-0099).....pair

Crutch Underarm Cushions
Grey, 8" x ⅞"
(803-0096).....pair

Aluminum Crutches
- Lighter than wood, the standard aluminum crutch provides stability and durability
- Double extruded center tube provides additional strength to weight-bearing area
- Push-pin adjustment makes it easy to adjust crutch height in 1" increments.
- Non-skid, jumbo size vinyl contoured tips provide excellent traction
- Easy wing-nut adjustments for hand grips
- Comfortable, durable accessories are latex-free
- 350 lb. weight capacity on aluminum crutch (excluding pediatric)

Pediatric, 4'–4'6"
(803-0097).....1 pair

Youth, 4'6"–5'2"
(803-0101) .....1 pair

Adult, 5'2"–5'10"
(803-0100).....1 pair

Tall Adult, 5'10"–6'6"
(283-0015).....1 pair

Crutch Hand Grips
Grey, 4½" x ¾"
(803-0098).....pair

Forearm Crutches
- Vinyl coated, ergonomically contoured arm cuffs molded for comfort and stability
- Leg and forearm sections adjust independently for optimal sizing
- Vinyl hand grips are comfortable and durable
- Extra large tips for added stability
- Ortho K handle is hard plastic
- 500-lb weight capacity

Forearm Crutches .....pair

Specify:
Adult, 5'0"–6'2"..... **(803-0102)**
Tall Adult, 5'10"–6'6" ..... **(803-0103)**

Aluminum Crutch Platform Attachment
- Designed for those who are unable to grip the walker
- Cradles forearm with soft vinyl padding for comfortable weight bearing
- Large top bracket allows the platform attachment to be placed over the hand grip of the walker
- Adjustable strap securely holds arm in place

(803-0008).....ea

drive™ for the road ahead™

Offer ends April 10, 2012

MENTION PROMO CODE B9
to ensure promotional pricing.

Call:
1-800-P-SCHEIN
(1-800-772-4346)
8am–9pm (et)

Fax:
1-800-329-9109
24 Hours

www.henryschein.com/medical

Due to manufacturer price increases, prices are subject to change without notification. Offer valid on our full array of products, excluding flu vaccine and Synagis®. Upon any request by Medicare, Medicaid, Tricare or other payer, you must report the value of any benefit received from a discount program (e.g., points redemptions, gifts or other special awards). ©2012 Henry Schein, Inc. No copying without permission. Not responsible for typographical errors. No adjustments from prior sales. Offer not to be combined with other promotions and/or special contract pricing. Void where prohibited. Local regulatory requirements may apply to use or installation of certain products. It is your responsibility to understand and comply with any such requirements prior to purchase, use or installation of products. †For informational purposes only. Source: ReimbursementCodes.com and/or www.cms.gov. Customer is responsible for verification of billing/coding in accordance with applicable specific circumstances.

12MS6114

Printed on recycled paper.
Please recycle it again.

HENRY SCHEIN®
Henry Schein, Inc. • 135 Duryea Road • Melville, NY 11747

PRSRT STD
U.S. POSTAGE
PAID
HENRY SCHEIN, INC.

HAVE YOU JOINED PRIVILEGES?

Enroll today!

Privileges® Exclusive Rewards For Preferred Clients

1.866.MED.VIPS (1.866.633.8477)
www.henryschein.com/privilegesmd

DDS disc disease solutions

MEDICAL BREAKTHROUGH FOR LOWER BACK PAIN

DDS 500
LUMBAR TRACTION

Disc Disease Solutions, Inc. introduces a revolutionary approach in the treatment of lower back and radiating pain due to spinal disease and injuries.

The function of the DDS 500 is scientific, precise and very simple. Spinal traction is created as the brace inflates. The vertical air cell expansion mechanism decreases the axial loading while increasing the intervertebral disc space by anchoring up underneath the rib cage pushing upwards, and down against the pelvic girdle pushing downwards. This action stretches the torso vertically, diverting the weight bearing forces away and reducing the pressure within the lumbar spine region, significantly reducing pain levels while assisting active-rehabilitation.

- ***Thin and lightweight and offers a high degree of mobility.***
- ***Assists with active-rehabilitation and can be discreetly worn under clothing.***
- ***Provides pain relief for patients with Herniated and Bulging Discs, Muscle Spasms, Degenerative Disc Disease, Sciatica, Spondylolysis and Spinal Stenosis.***
- ***Also available in cervical***

Add DDS to your line of products and earn extra income!

ITEM CODE	5950039	5950040	5950041	5950042	5950043	5950044	5950045	5950038
SIZE	Small	Medium	Large	X-Large	2X-Large	3X-Large	4X-Large	5X-Large